



Crimp lug, Fork shape acc. to DIN 46237/C, Max. wire cross-section: 1 mm², Colour: Red

Business data

| | |
|--|--------------------------------|
| Article number | 3065.0 |
| Article name | QKS G 1 |
| GTIN (EAN) | 4044211057701 |
| Connector shape | Fork shape acc. to DIN 46237/C |
| Product-compliant (according to DIN) | yes |
| Packaging unit | 100 |
| Quantity unit | PC |
| Weight per piece (not including packaging) | 0.89 g |
| Weight per piece (including packaging) | 0.9 g |
| Unit of weight | G |
| Customs number | 85369010 |
| Country of origin | TW |
| Product description | Crimp |
| Colour | Red |

Technical data

Dimensions

| | |
|--|---------|
| Length (input to end of inner fork ring) | 19 mm |
| Outer width of fork | 10 mm |
| Inner width of fork | 5.3 mm |
| Diameter of feed-in funnel | 4.1 mm |
| Size DIN | C 5 - 1 |

Connection data

| | |
|------------------------------|---------------------|
| Wire cross-section, min. | 0.5 mm ² |
| Wire cross-section, max. | 1 mm ² |
| Wire cross-section AWG, min. | 20 |
| Wire cross-section AWG, max. | 18 |

Materials

| | |
|---------------------------|------------------------|
| Connector material | Copper |
| Surface | Tin-plated |
| insul. | Expanded PA insulation |
| Working temperature, min. | -55 °C |
| Working temperature, max. | 105 °C |

Further technical data

| | |
|----------------------|---|
| Insulation available | ✓ |
| Soldered | ✓ |

Environmental Product Compliance

| | |
|--------------------------------|------------|
| REACH Conform | yes |
| REACH Reference date | 2023-01-17 |
| REACH Candidate Substance Note | No |
| RoHS Conform | yes |

Data sheet

3065.0 QKS G 1



Approvals

Standards and regulations

Standards / specifications

DIN EN 13599

Data sheet

3065.0 QKS G 1



Media

Accessories
