

Data sheet | Item number: 215-311

Banana plug; for socket 4 mm Ø; 2,50 mm²; black

www.wago.com/215-311




Color:

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Data

Technical data

| | |
|----------------------------|---------------------|
| Main product function | Testing accessories |
| Total number of potentials | 1 |

Electrical data

| | |
|---------------|------|
| Rated current | 20 A |
| Test voltage | 42 V |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Connection data

| | |
|-------------------------|--|
| Connection technology | CAGE CLAMP® |
| Strip length | 9 ... 11 mm / 0.35 ... 0.43 inches |
| Connection points | 1 |
| Solid conductor | 0.08 ... 2.5 mm ² / 28 ... 14 AWG |
| Fine-stranded conductor | 0.08 ... 2.5 mm ² / 28 ... 14 AWG |

Physical data

| | |
|--------|----------------------|
| Width | 8 mm / 0.315 inches |
| Height | 15 mm / 0.591 inches |
| Depth | 40 mm / 1.575 inches |

Material Data

| | |
|-----------|----------|
| Color | black |
| Fire load | 0.041 MJ |
| Weight | 3.9 g |

Commercial data

| | |
|-----------------------|--------------------------------|
| Product Group | 2 (Terminal Block Accessories) |
| eCl@ss 10.0 | 27-44-03-13 |
| eCl@ss 9.0 | 27-44-03-13 |
| ETIM 8.0 | EC002255 |
| ETIM 7.0 | EC002255 |
| PU (SPU) | 50 pcs |
| Packaging type | box |
| Country of origin | DE |
| GTIN | 4045454293499 |
| Customs tariff number | 85366990990 |

Environmental Product Compliance

| | |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



Downloads

Documentation

Bid Text

| | | | |
|------------------------|-------------|----------------|----------|
| 215-311 X81 - Datei | 2019 年2月19日 | xml 3.1 kB | Download |
| 215-311 doc - Datei | 2017 年9月19日 | doc 25.1 kB | Download |

CAD/CAE-Data

CAE data

| | | |
|---------------------------|-----|----------|
| EPLAN Data Portal 215-311 | URL | Download |
| WSCAD Universe 215-311 | URL | Download |

CAD data

| | | |
|----------------------|-----|----------|
| 2D/3D Models 215-311 | URL | Download |
|----------------------|-----|----------|

Environmental Product Compliance

Compliance Search

| | | |
|--|-----|----------|
| Environmental Product Compliance 215-311 Banana plug; for socket 4 mm Ø; 2,50 mm ² ; black | URL | Download |
|--|-----|----------|

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.




Conductor termination: Press button fully, insert stripped conductor into square entry and release.



Strip conductor to 9 ... 11 mm (0.35 ... 0.43 inch).

Testing



Testing via banana plug.

Picture shows a test plug adapter (209-170).

Subject to changes. Please also observe the further product documentation!