

-XX IN THE ENDING OF THE CABLE PART NUMBER IS CALLING OUT THE LENGTH OF THE ASSEMBLY FROM CENTER TO MATING FLANGE OF CONNECTORS. EXAMPLES SHOWN BELOW:

LTI P/N: CBG-IPX-SARFGT-6IN (6 INCHES) CBG-IPX-SARFGT-10IN (10 INCHES)





ITEM	PART NUMBER	DESCRIPITION		
1	IPXLF11GPB-178	IPX (MHF1), R/A JACK, CABLE CRIMP, (I-PEX 20278-112R-18)		
2	SASRF11GT-316	SMA, STRAIGHT, REV POL JACK, CABLE CRIMP	1	
3	RG-178	CABLE, RG-178 COAX		
4	1635F-1/8"	.125 (1/8) DIA, .75 LENGTH, GREEN	1	

SCALE: NONE

IPX® AND MHF® ARE REGISTERED TRADEMARKS OF I-PEX CO., LTD. CORPORATION

	DO NOT SCALE DRAWING				Lighthorse Technologies					
	TOLERANCES UNLESS OTHERWISE SPECIFIED			477	g g					
	DIMENSIONS ARE IN MILLIMETERS X = ±0.5 XX = ±0.25				San Diego, CA WWW.RFCONNECTOR.COM					
			⊕ €]-	TITLE	:	CABLE ASSEMBLY,				
	X.XX = ±0. ANGLE = ±3	13	THIRD ANGLE PROJECTION		ΙP	IPX (MHF1), R/A JACK, CRIMP TO SMA,				
	CUSTOMER APPROVAL				RP JACK, CRIMP USING RG-178 COAX					
	SIGN / DATE:			SIZE	PART/DWG. NO:		REV			
	ENG APPR.	P. BURDGE	01/19/2022							
	CHECKED	M. HELD	01/19/2022	B CBG-IPX-SARFGT-xxIN				Α		
	DRAWN	M. LARSEN	01/19/2022					l		
		NIAME	DATE	JOUNT E	2.1	I E II E NAME	CHEE	T 1 OE		

PROPRIETARY AND CONFIDENTIAL

6

UNLESS OTHERWISE SPECIFIED: THIS DOCUMENT CONTAINS LIGHTHORSE TECHNOLOGIES INFORMATION, REPRODUCTION, USE, DISCLOSURE OR TRANSMITTAL OF ALL OR ANY PART OF THIS DOCUMENT IS PROHIBITED EXCEPT TO THE EXTENT APPROVED IN WRITING BY AN AUTHORIZED REPRESENTATIVE OF LIGHTHORSE TECHNOLOGIES. LIGHTHORSE TECHNOLOGIES RESERVES ALL RIGHTS UNDER PATENTS, TRADEMARKS. COPY RIGHTS OF LIGHTHORSE TECHNOLOGIES SECRETS. COPY RIGHTS OF LIGHTHORSE TECHNOLOGIES 2011, ALL RIGHTS NUMBER TO THE RESERVED.

Pb RoHS

SHEET 1 OF 1

D

В