

Buchanan

TE Internal #: 1776261-2 PCB Terminal Blocks, Header, Wire-to-Board, 2 Position, .197 in [5 mm] Centerline, 1 Row, 90° Wire Entry Angle, 22 – 14 AWG Wire Size

View on TE.com >

Connectors > Terminal Blocks & Strips > PCB Terminal Blocks



Terminal Block Connector Type: Header

Connector System: Wire-to-Board

Number of Positions: 2

Centerline (Pitch): 5 mm [.197 in]

Number of Rows: 1

Features

Connectivity

Product Type Features

Wire Protection	With
Terminal Block Connector Type	Header
Connector System	Wire-to-Board
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Stacked Levels	Without
Wire Entry Location	Side
Stacking Configuration	Side Stackable
Number of Positions	2
Number of Rows	1
Number of Rows Wire Entry Angle	1 90°
Wire Entry Angle	

C For support call+1 800 522 6752

1776261-2

PCB Terminal Blocks, Header, Wire-to-Board, 2 Position, .197 in [5 mm] Centerline, 1 Row, 90° Wire Entry Angle, 22 – 14 AWG Wire Size



Lever Color	Orange
Primary Product Color	Green
Product Orientation	Vertical
Contact Features	
Contact Mating Area Plating Material	Tin
Contact Base Material	Brass
Contact Current Rating (Max)	10 A
Termination Features	
Termination Post & Tail Length	3.2 mm[.13 in]
Termination Method to Printed Circuit Board	Through Hole - Solder
Termination Method to Wire & Cable	Push-in, Spring Terminal
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Housing Material	NY - FR15
Centerline (Pitch)	5 mm[.197 in]

Dimensions

Operating Temperature Range -40 – 105 °C[-40 – 221 °F] Operation/Application Power & Signal Circuit Application Power & Signal Packaging Features 375 Packaging Method Carton		
Operation/Application Power & Signal Circuit Application Power & Signal Packaging Features 375 Packaging Method Carton Pocduct Compliance Carton For compliance documentation, visit the product page on TE.com> Compliant EU RoHS Directive 2011/65/EU Compliant EU LV Directive 2000/53/EC Compliant with Exemptions	Wire Size	.3 – 2 mm²
Operation/Application Power & Signal Circuit Application Power & Signal Packaging Features 375 Packaging Method Carton Pocduct Compliance Carton For compliance documentation, visit the product page on TE.com> Compliant EU RoHS Directive 2011/65/EU Compliant EU LV Directive 2000/53/EC Compliant with Exemptions	Usage Conditions	
Circuit Application Power & Signal Packaging Features 375 Packaging Method Carton Product Compliance Supplication For compliance documentation, visit the product page on TE.com> Compliant EU ROHS Directive 2011/65/EU Compliant EU EUV Directive 2000/53/EC Compliant with Exemptions	Operating Temperature Range	-40 - 105 °C[-40 - 221 °F]
Packaging Features 375 Packaging Method Carton Product Compliance Sandard Sand	Operation/Application	
Packaging Quantity 375 Packaging Method Carton Product Compliance Carton For compliance documentation, visit the product page on TE.com> Compliant EU RoHS Directive 2011/65/EU Compliant EU ELV Directive 2000/53/EC Compliant with Exemptions	Circuit Application	Power & Signal
Packaging Method Carton Product Compliance Compliance For compliance documentation, visit the product page on TE.com> Compliant EU RoHS Directive 2011/65/EU Compliant EU ELV Directive 2000/53/EC Compliant with Exemptions	Packaging Features	
Product Compliance For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU Compliant EU ELV Directive 2000/53/EC Compliant with Exemptions	Packaging Quantity	375
For compliance documentation, visit the product page on TE.com> EU RoHS Directive 2011/65/EU Compliant EU ELV Directive 2000/53/EC Compliant with Exemptions	Packaging Method	Carton
EU ELV Directive 2000/53/EC Compliant with Exemptions	-	
	EU RoHS Directive 2011/65/EU	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016 No Restricted Materials Above Threshold	EU ELV Directive 2000/53/EC	Compliant with Exemptions
	China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold

1776261-2

PCB Terminal Blocks, Header, Wire-to-Board, 2 Position, .197 in [5 mm] Centerline, 1 Row, 90° Wire Entry Angle, 22 – 14 AWG Wire Size



EU REACH Regulation (EC) No. 1907/2006Current ECHA Candidate List: JUNE 2023
(235)
Candidate List Declared Against: JAN 2023
(233)
Does not contain REACH SVHCHalogen ContentNot Low Halogen - contains Br or Cl > 900
pm.Solder Process CapabilityWave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts





Customers Also Bought



1776261-2

PCB Terminal Blocks, Header, Wire-to-Board, 2 Position, .197 in [5 mm] Centerline, 1 Row, 90° Wire Entry Angle, 22 – 14 AWG Wire Size





Documents

Product Drawings

Bd Mt Screwless, 5.0mm, Side W

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1776261-2_R.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1776261-2_R.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1776261-2_R.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages BUCHANAN TERMINAL BLOCKS CATALOG - EUROSTYLE TERMINAL BLOCKS

English

1-1773458-1_EURO_STYLE_TERMINAL_BLOCKS_QRG

English