## 1.5 METERS LENGTH



Connector A 132443 SMA Plug Straight Brass Gold + Heatshrink 50 Ohm LMR-195 Continuity/Hi-Pot Connector B 031-6821 TNC Plug Straight Brass Nickel + Heatshrink

## Assembly & Label Notes

Assembly label to be placed ~ 2" from end of connector A and/ or heat shrink Assembly shall be built with SN96.5 LEAD FREE solder. See Routing Notes for additional assembly & testing instructions.

|  | Connector A   |        |   | Cable  |  |  | Connector B   |                 |  |
|--|---|--------|---|--|--|--|---|-----------------|--|
|  | Part #:<br>Description:<br>Type:<br>Gender:<br>Body Type:<br>Contact Type:<br>Polarity:<br>Impedance:<br>Mounting:<br>Body Material:<br>Body Finish:<br>IP Rating:<br>Contact Material:<br>Contact Finish:<br>Max. Freq.:<br>Booting: | 132443 | 195 Optimized 50O   | Part #:<br>Description:<br>Dielectric:<br>Shielding:<br>Diameter:<br>Impedance:<br>Sheathing:<br>Testing:<br>Length: | LMR-195<br>LMR-195 - FEP 0.195<br>FEP<br>Braid<br>0.195<br>50 Ohm<br>None<br>Continuity Hi-Pot<br>1.5 Meters | Part #:<br>Description:<br>Type:<br>Gender:<br>Body Type:<br>Contact Type:<br>Polarity:<br>Impedance:<br>Mounting:<br>Body Material:<br>Body Finish:<br>IP Rating:<br>Contact Material:<br>Contact Finish:<br>Max. Freq.:<br>Booting:<br>Clocking: | 031-6821<br>TNC PLUG LMR195<br>TNC<br>Plug<br>Straight<br>Solder<br>Standard<br>50 Ohm<br>Cable<br>Brass<br>Nickel<br>None<br>Brass<br>Gold<br>6 GHz<br>TNC Plug Straight<br>0° | 5 LMR195-UF 50O |  |
| Amphenol THIS DRAWING MAY CONTAI   PROPRIETARY INFORMATION FOR ANY PURPOSE DETRIME   INC. IT MAY NOT BE REPROD IN ANY FORM WITHOUT THE   CONTROLLED DOCUMENT - DO NOT COPY ESTABLISHES AND AGREEME |   |        | AND MUST NOT BE USED<br>FAL TO CUSTOM CABLE<br>CED OR TRANSCRIBED<br>RITTEN CONSENT OF<br>NCE OF THIS DRAWING<br>Part No:<br>SMA-ST-PL/TNC-ST-PL LMR19 1.5M |  |  | UNLESS SPECIFIED<br>TOLERANCE:<br>0-18 inches +/- 1/2"<br>over 18" +/- 2%<br>ASSEMBLY:<br>CENTER LABEL IF LENGTH<br>IS LESS THAN 12 INCHES   |   |                 |  |



## **RoHS 2015/863 Compliance Statement**

According to the manufacture of all the component parts contained in this assembly, this product has been determined to be RoHS Compliant with RoHS Directive 2011/65/EU and as amended by Directive 2015/863, and without material exceptions (RoHS3 Complaint).

For the individual component RoHS certificates used in this assembly, please contact Amphenol Custom Cable.

The RoHS Compliance of any product so designated is based upon evidence from the producer (manufacturers') that the component parts comply with the RoHS Directive. Amphenol Custom Cable has taken all reasonable steps to confirm that the OEM (Manufacturer) of the components used in this assembly have provided evidence regarding the absence of the restricted substances to support the manufacturer's claim of compliance.

To the best of our knowledge and with due diligence, we certify that the product listed herein complies with the RoHS requirements.

Date: 10/1/2023

Part Number: Q-3E054000D1.5M

Manufacturer: Amphenol Custom Cable

Description: SMA-ST-PL/TNC-ST-PL LMR19 1.5M

This information is valid as of the date indicated for the item (part number) listed.

**Director of Quality Assurance** 

Janice Frank