



LOADING PATTERN MATING SIDE

f	6	6	6	6	6	6	6	6	6	6		6	6	6	6	6	6	6	6	6	6	6
e	5	5	4	4	4	4	4	4	4	4		4	6	4	6	4	6	4	4	4	4	4
d	5	5	4	6	4	6	4	6	4	6		6	4	6	4	6	4	4	4	4	4	4
c	5	5	4	4	4	4	4	4	4	4		4	4	4	4	4	6	4	4	4	4	4
b	5	5	4	5	4	5	4	5	4	5		5	4	5	4	5	4	5	4	5	4	5
a	5	5	4	4	4	4	4	4	4	4		4	4	4	4	4	4	4	4	4	4	4
z	6	6	6	6	6	6	6	6	6	6		6	6	6	6	6	6	6	6	6	6	6
P	0											1										
S	1											5										


LOADED CONNECTOR ASSEMBLY (FOR EXAMPLE)



CONTACT OVERVIEW



LAY-OUT P.C.B.-HOLE



HM2P07PDP3A1 LF LEAD FREE INDICATOR : LF = LEAD FREE (DIGIT 15 & 16)

PLATING CODE (DIGIT 13 AND 14)  
(REF DRW NO. BS,C , 201844 , 003)

NOTES

1. THIS PRODUCT IS CSA APPROVED.
  2. THIS PRODUCT IS UL RECOGNIZED.
  3. MEASURED AT THE BOTTOM.
  4. MATERIAL CONTACT: PHOSPHORBRONZE  
HOUSING: CREAM WHITE GLASS FILLED POLYESTER UL-94V0
  5. CONNECTOR PRINTED WITH P/N AND DATE CODE.
  6. FOR ACTUAL CONTACT LOADINGS, SEE LOADING PATTERN MATING SIDE.
  7. SHAPE OF CONNECTOR HOUSING CAN ALTER DEPENDING ON PRODUCTION LOCATION
  8. THE PRODUCT (LF) MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-22-008
  9. FOR RECOMMENDED PTH DIMENSIONS REFER DRAWING : BS, A , 201572 , 001
- CATALOG NO: HM2P07PDP3A1----

mat'l. code		SEE NOTE 4		surface	ISO 1302	tolerance	ISO 406 ISO 1101	projection	product family	MILLIPACS	
ltr	ecn no	dr	date	tolerances unless otherwise specified					title		
A	111-0178	AB	2011-10-26	angles	linear	.0±0.2		MM	MPACS 5+2R STR HDR PF CONN TYPE A		
				0°±1°		.00±0.1		scale			
				dr	ALEX BABU	2011-10-26			dwg no		
				enr	ALEX BABU	2011-10-26			sheet 1 of 1		
				chr	ALEX BABU	2011-10-26			size		
				appd	BIJU K PAUL	2011-10-26			A3		
sheet		revision									
index		sheet		A							