


REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
	M	REV PER ECR 07-027142	13NOV07	JR	TM
	M1	REVISED PER ECO-18-011826	26JUL2018	RS	DR

AMP
WIRE RANGE

16-14 AWG
STRANDED



- 1 TUBING MATERIAL; CROSS-LINKED POLYMER WITH MELT LINER; COLOR, BLUE; BLACK INK LEGEND 1/16 MIN; HEIGHT; ONE FULL APPEARANCE MIN.
- 2 TEMP RATING -65°F TO 257°F { -55°C TO 125°C }
- 3 SHIPPING WEIGHT .004 LBS EACH
- 4 VOLTAGE RATING: 600 V MAX (1000 V MAX FIXTURES & SIGNS)
- 5 MATERIAL & FINISH ; BODY - COPPER, TIN PLATED SLEEVE - NYLON

1000	5.21 [.205]	2.16 [.085]	603503-3
50/BOX	5.21 [.205]	2.16 [.085]	603503-2
PACKAGE TYPE	EXPANDED I.D. MIN	RECOVERED I.D. MAX	PART NO.

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN JR RUTH 24JUN04	STE TE Connectivity Ltd.													
DIMENSIONS: mm [INCHES]		CHK T MICHELUTTI 24JUN04														
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD T MICHELUTTI 24JUN04	NAME PRE-INSULATED SEALED SPLICE WIRE SIZE: 16-14 AWG													
<table border="0"> <tr><td>0 PLC</td><td>± -</td></tr> <tr><td>1 PLC</td><td>± -</td></tr> <tr><td>2 PLC</td><td>± -</td></tr> <tr><td>3 PLC</td><td>± 0.13 [.005]</td></tr> <tr><td>4 PLC</td><td>± -</td></tr> <tr><td>ANGLES</td><td>± -</td></tr> </table>		0 PLC	± -	1 PLC	± -	2 PLC	± -	3 PLC	± 0.13 [.005]	4 PLC	± -	ANGLES	± -	PRODUCT SPEC -	SIZE A3	
0 PLC	± -															
1 PLC	± -															
2 PLC	± -															
3 PLC	± 0.13 [.005]															
4 PLC	± -															
ANGLES	± -															
MATERIAL		APPLICATION SPEC -	CAGE CODE 00779	DRAWING NO C-603503												
FINISH		WEIGHT -	RESTRICTED TO -													
<div style="text-align: center;">5</div>		<div style="text-align: center;">5</div>		SCALE 1:1												
CUSTOMER DRAWING		SHEET 1 OF 1		REV M1												