

TECHNICAL DATA SHEET

Description:

433MHz Swivel Stick Dipole - SMA-M

PART NUMBER: W1076



Features:

- Frequency 430-435MHz
- · Gain -4dBi
- Length 108mm (straight)
- Connector SMA-Male
- IP40
- RoHS Compliant

Applications:

- 433MHz ISM band radios
- Indoor use
- Remote controls
- · Surveillance, Monitoring
- Industry automation
- IoT

All dimensions are in mm / inches

Issue: 2044

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION

This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:

Pulse Worldwide Headquarters 15255 Innovation Drive #100 San Diego, CA 92128 USA Tel:1-858-674-8100 Pulse/Larsen Antennas 18110 SE 34th St Bldg 2 Suite 250 Vancouver, WA 98683 USA Tel: 1-360-944-7551 Europe Headquarters Pulse GmbH & Do, KG Zeppelinstrasse 15 Herrenberg, Germany Tel: 49 7032 7806 0 Pulse (Suzhou) Wireless Products Co, Inc. 99 Huo Ju Road(#29 Bldg,4th Phase Suzhou New District Jiangsu Province, Suzhou 215009 PR China Tel: 86 512 6807 9998



Polarization

TECHNICAL DATA SHEET

Vertical

Description:

433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

ELECTRICAL SPECIFICATIONS

Antenna Type Dipole

Frequency 430-435MHz

Nominal Impedance 50 Ω

VSWR 1.5:1(MAX)

Radiation Pattern Omni

Gain -4dBi(Min)

Efficiency 15%(Min)

Power Withstanding 5W

MECHANICAL SPECIFICATIONS

Overall Length 108 mm

Weight 8.84 g

Antenna Color Black

Connector type SMA Male

ENVIRONMENTAL SPECIFICATIONS

Operating Temperature $-40 \sim +85^{\circ}$ C Storage Temperature $-40 \sim +85^{\circ}$ C

Ingress Protection IP40
RoHS Compliant Yes





TECHNICAL DATA SHEET


Description:


433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

Series: Stick Antenna

MECHANICAL DRAWING








TECHNICAL DATA SHEET

Description:

433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

TEST SETUP



Test with a 37.5mm*50mm ground plane in free space.



TECHNICAL DATA SHEET


Description:


433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

CHARTS

VSWR vs Frequency







TECHNICAL DATA SHEET

Description:


433MHz Swivel Stick Dipole - SMA-M

PART NUMBER: W1076


TART HOMBER.

CHARTS

Peak Gain



Radiation Efficiency







Description:

433MHz Swivel Stick Dipole - SMA-M


TECHNICAL DATA SHEET


PART NUMBER: W1076


Series: Stick Antenna

CHARTS

Radiation Pattern 2D









TECHNICAL DATA SHEET

Description:

433MHz Swivel Stick Dipole – SMA-M

PART NUMBER: W1076

PACKAGING

20PCS / PE Bag, 600PCS / Box

