

#### **TECHNICAL DATA SHEET**

**Description**: 1608 2.4G&5GHz Diplexer

PART NUMBER: DPX1608LL65R2455A

# Features:

Compact size: 1.6x0.8x0.6mm

· RoHS compliant

# **Applications:**

• WLAN, 802.11a/b/g/n

ISM Band

## **ELECTRICAL SPECIFICATIONS**

DESCRIPTION	VALUE			
Dago Pand	Low Band	High Band		
Pass Band	2400~2500MHz	4900~6000MHz		
Insertion Loss	0.40dB (Max)	0.7dB (Max)		
Return Loss	12.0dB (Min)	12.0dB (Min)		
Attenuation		27dB(Min).@2400~2500MHz		
	30dB(Min).@4800~5000MHz 32dB(Min).@7200~7500MHz	27dB(Min).@10300~11700MHz		
		20dB(Min).@15450~16200MHz		
Isolation	32dB(Min).@2400~2500MHz			
	32dB(Min).@4800~5950MHz			
Operating Temperature	-40 ~ 85°C			

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION



This document contains confidential and proprietary information of Pulse Electronics, Inc. (Pulse) and is protected by copyright, trade secret and other state and federal laws. Its receipt or possession does not convey any rights to reproduce, disclose its contents, or to manufacture, use or sell anything it may describe. Reproduction, disclosure or use without specific written authorization of Pulse is strictly forbidden. For more information:



### **TECHNICAL DATA SHEET**

**Description**: 1608 2.4G&5GHz Diplexer

PART NUMBER: DPX1608LL65R2455A

## **MECHANICAL DIMENSION**

## 

+		ш				<u>+</u>
D2	D1	D3	l			
					$\Box$	1
	i		i			Ĭ
		D4				_•


Р3

Terminal name	Function
P1	GND
P2	Common
P3	GND
P4	Low band
P5	GND
P6	High band


on
15
15
15
10
10
10
10
10
-

# Reference design of EVB

## Recommended Land Pattern



## Recommended PCB Pattern-





Line width should be designed to match  $50\Omega$  characteristic impedance, depending on PCB material and thickness.

In the effort to improve our products, we reserve the right to make changes judged to be necessary. CONFIDENTIAL AND PROPRIETARY INFORMATION






### **TECHNICAL DATA SHEET**

**Description**: 1608 2.4G&5GHz Diplexer

PART NUMBER: DPX1608LL65R2455A

## **ELECTRICAL PERFORMANCES**



- Measured on Agilent E5071C Network Analyzer
- Common port : Port 2 (Return loss : S22)
- Low band port : Port 1 (Low band Insertion loss S21, and attenuation at high band)
- High band port : Port 3 (High band Insertion loss S32, and attenuation at low band)

**Frequency Characteristics** 



Date

Oct. 06, 2020

Revision

Version 1

## **TECHNICAL DATA SHEET**

**Description**: 1608 2.4G&5GHz Diplexer

PART NUMBER: DPX1608LL65R2455A

REVISION HISTORY	
Description	
- New issue	