


Data sheet | Item number: 282-882

Locking cover; mechanically locks multiple links; 2-pole; transparent

www.wago.com/282-882



Data

Material Data

Note (material data)

Information on material specifications can be found here

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



| | |
|-----------------------------|------------------|
| Color | transparent |
| Material group | I |
| Insulation material | Polyamide (PA66) |
| Flammability class per UL94 | V0 |
| Fire load | 0.053 MJ |
| Weight | 1.1 g |

Environmental requirements

| | |
|----------------------------------|-----------------|
| Processing temperature | -35 ... +85 °C |
| Continuous operating temperature | -60 ... +105 °C |

Commercial data

| | |
|-----------------------|----------------------------------|
| Product Group | 1 (Rail Mounted Terminal Blocks) |
| eCl@ss 10.0 | 27-14-11-92 |
| eCl@ss 9.0 | 27-14-11-92 |
| ETIM 8.0 | EC002848 |
| ETIM 7.0 | EC002848 |
| PU (SPU) | 50 (10) pcs |
| Packaging type | box |
| Country of origin | DE |
| GTIN | 4017332283182 |
| Customs tariff number | 39269097900 |

Environmental Product Compliance

| | |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

Downloads

Documentation

Bid Text

| | | | |
|------------------------|-------------|----------------|----------|
| 282-882 X81 - Datei | 2019 年2月19日 | xml 2.6 kB | Download |
| 282-882 doc - Datei | 2017 年3月3日 | doc 24.1 kB | Download |

Additional Information

pdf Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
 Hansastr. 27
 32423 Minden
 Phone: +49571 887-0 | Fax: +49571 887-169
 Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
 We are always happy to take your call at +49 (571) 887-44222.



2.3 MB

CAD/CAE-Data

CAD data

| | | |
|----------------------|---------------------|--------------------------|
| 2D/3D Models 282-882 | URL | Download |
|----------------------|---------------------|--------------------------|

CAE data

| | | |
|------------------------|---------------------|--------------------------|
| WSCAD Universe 282-882 | URL | Download |
|------------------------|---------------------|--------------------------|

| | | |
|----------------------|---------------------|--------------------------|
| ZUKEN Portal 282-882 | URL | Download |
|----------------------|---------------------|--------------------------|

| | | |
|---------------------------|---------------------|--------------------------|
| EPLAN Data Portal 282-882 | URL | Download |
|---------------------------|---------------------|--------------------------|

Environmental Product Compliance

Compliance Search

| | | |
|--|---------------------|--------------------------|
| Environmental Product Compliance 282-882 | URL | Download |
|--|---------------------|--------------------------|

Locking cover; mechanically locks multiple links; 2-pole; transparent

Installation Notes

Locking system

Subject to changes. Please also observe the further product documentation!



Snapping transparent locking cover onto 1–8 disconnect links:

a) Mechanically lock several links for multi-pole switching applications

b) Protect markers

Snapping transparent locking cover onto 1–8 disconnect links:

a) Mechanically lock several links for multi-pole switching applications

b) Protect markers

Subject to changes. Please also observe the further product documentation!