	GlobTek, Inc.	Drawing Title: WATERPROOF JACK, 2 PIN FEMALE, MATES TO GLOBTEK KF2 CABLE ASSEMBLIES		
www.globtek.com		Model No. Connector		
	186 Veterans Drive,			
	Northvale, NJ 07647			
	Tel. (201) 784-1000	Part No./Ordering No. JACK-KF2-PANEL-BK(R)	Rev B	
	Fax (201) 784-0111			

In Addition to GlobTek Inc.'s renewed ISO9001:2008 - Quality Management System Certification, GlobTek Inc. is now certified to:

ISO13485:2003 - Medical Devices Quality Management System Certification ISO14001:2004 - Environmental Management System Certification

ISO Certificates are available online at http://www.globtek.com/iso-certificates/

The acceptance of this specification and use of the product described in this document indicates the acceptance and binding of the customer to Globtek TERMS AND CONDITIONS (attached to the end of this document), which supersede all other agreements, terms, and conditions (http://en.globtek.com/terms-and-conditions/).

Prop 65 Statement: https://en.globtek.com/prop-65-statement.pdf

Footnote:

GlobTek Inc. will not be liable for the safety and performance of these power supplies if unauthorized access and repair occurs. End user should consult applicable UL, CSA or EN standards for proper installation instruction.

Limitation of Use:

GlobTek products are intended for use with commercial, medical, and/or industrial equipment only. GlobTek product are not authorized for use as mission critical components in life support hazardous environment, nuclear or aircraft applications without prior written approval from the CEO of GlobTek Inc.

Contents of this document are subject to change without prior notice.

Customer Approval of Specification:

Please approve, sign and send back to GlobTek so we can complete order processing.

A delay in receipt of this form will delay delivery schedule.

Company Name:	Customer P/N:	
Quote Number:	Date:	
Authorized Representative Name:	Authorized Representative Signature:	

GlobTek, Inc.	Drawing Title: WATERPROOF JACK, 2 PIN FEMALE, MATES TO GLOBTEK KF2 CABLE ASSEMBLIES		
www.globtek.com	Model No. Connector		
186 Veterans Drive,			
Northvale, NJ 07647			
Tel. (201) 784-1000	Part No./Ordering No. JACK-KF2-PANEL-BK(R)	Rev B	
Fax (201) 784-0111			

REVISION HISTORY

F	REV	DESCRIPTION		B DATE APPROVED	
	В	hange color from RAL 9001 to RAL 9011	QA	06/30/2021	QA
	Α	Initial release	DR	02/09/2021	DAVID


3D CAD FILE:

$\underline{https://www.globtek.com/dl/JACK-KF2-PANEL-BLU(R)\%20451-02180340(R).stp}$

AGENCY ONLINE DOCUMENTS

RoHS/RoHS3 Declaration	https://www.globtek.com/pdf/rohs_cert/01t3a000005D7j6AAC		
REACH Declaration	https://www.globtek.com/pdf/iso_certificates/REACH.pdf		
Conflict Minerals Declaration	https://www.globtek.com/pdf/conflict-minerals.pdf		
Prop 65 Statement	https://en.globtek.com/prop-65-statement.pdf		

IPXY rating is based on 3rd party testing and customers should check suitability and test system level IPXY rating before ordering. Mechanical Parameters:



Color: Black, RAL 9011

Electrical parameters:

- Current Rating: 1A/PIN
 Current Voltage: 24V MAX
- 3. Contact Impedance: 40mOHM MAX4. Insulation Resistance: 100MOHM MIN
- 5. Withstanding Voltage: 100V AC for one minute
- 6. Operating Temperature: -20~50°C
- 7. Fire Rating: VW-1

Other colors available upon request:

Grey, RAL 7001 Orange, RAL 2011 Green, RAL 6016 Blue, RAL 5010

GlobTek, Inc.	Drawing Title: WATERPROOF JACK, 2 PIN FEMALE, MATES TO GLOBTEK KF2 CABLE ASSEMBLIES		
www.globtek.com Model No. Connector			
186 Veterans Drive,			
Northvale, NJ 07647			
Tel. (201) 784-1000	Part No./Ordering No. JACK-KF2-PANEL-BK(R)	Rev B	
Fax (201) 784-0111			

Mates with GlobTek IP68 Waterproof cables line (Click this for more info)	-

	GlobTek, Inc.	Drawing Title: WATERPROOF JACK, 2 PIN FEMALE, MATES TO GLOBTEK KF2 CABLE ASSEMBLIES		
www.globtek.com		Model No. Connector		
	186 Veterans Drive,			
	Northvale, NJ 07647			
	Tel. (201) 784-1000	Part No./Ordering No. JACK-KF2-PANEL-BK(R)	Rev B	
	Fax (201) 784-0111			

PACKAGING Packing Spec P/N: Box Qty: TBD Gift Box Size (mm): Gift Box Color: White Master Carton Size (mm): TBD Master Carton Cubic Volume (m³): 0.00 Master GW (Kg): kg wt Ea. (Kg): kg wt Ea. (Kg): kg LABEL SPECS:, PACK SPEC: