

Part Number: 151-01106



**Article Number**

151-01106

**Type**

SAM500B

**Color**

Black (BK)

**Features & Benefits**

- Positions bundles off cross members and frame rails to prevent abrasion and chafing.
- Metal insert bushing accommodates high torque installation.
- Made with high impact, heat stabilized, and UV material ideal for trucking and heavy equipment environments.

**Quantity Per**

carton

**Product Description**

HellermannTyton's axial oval mount stands off bundles from frame rails and cross members to prevent them from rubbing and chafing. The axial oval mount accommodates cable ties up to 0.5" wide. The hole on the mount was designed to fit a 5/16" bolt.

**Short Description**

High Torque Axial Mount, Bolt Hole Dia. 0.510", PA66HIRHSUV, Black, 500/pkg

**Global Part Name**

SAM500B-PA66HIRHSUV-BK

<b>Length L (Imperial)</b>	1.18
<b>Length L (Metric)</b>	29.9
<b>Fixation Method</b>	Screw Mounting and Rivet
<b>Width W (Imperial)</b>	1.0
<b>Width W (Metric)</b>	25.0
<b>Bundle Diameter Max (Imperial)</b>	2.0
<b>Bundle Diameter Max (Metric)</b>	50.8
<b>Height H (Imperial)</b>	1.77
<b>Height H (Metric)</b>	44.9
<b>Mounting Hole Diameter D (Imperial)</b>	0.510
<b>Mounting Hole Diameter D (Metric)</b>	12.95 mm
<b>Mounting Hole Diameter D Min (Imperial)</b>	0.510
<b>Mounting Hole Diameter D Max (Imperial)</b>	0.510
<b>Mounting Hole Diameter D Max (Metric)</b>	12.95
<b>Material</b>	Polyamide 6.6 high impact modified, heat and UV stabilized (PA66HIRHSUV)
<b>Material Shortcut</b>	PA66HIRHSUV

**Flammability**

UL 94 HB

**Operating Temperature Metric**

-40°F to +230°F (-40°C to +110°C)

**Package Quantity(Imperial)**

500

**Package Quantity (Metric)**

500

**Customs Number**

3926909987

**Weight (Metric)**

0.0198

**Weight (Imperial)**

0.0437