

Han M Hood Side Entry HC PG 36

		Part number	09 37 048 0544
		Specification	Han M Hood Side Entry HC PG 36
		HARTING eCatalogue	https://b2b.harting.com/09370480544
Identification			
Category	Hoods/Hou	sings	
Series of hoods/housings	Han [®] M		
Type of hood/housing	Hood		
Туре	High constr	ruction	
Version			
Size	48 B		
Version	Side entry		
Cable entry	1x Pg 36		
Locking type	Single locki	ing lever	
Field of application	Hoods/hous	sings for rough environments	
Technical characteristics			
Limiting temperature	-40 +125	o°C.	
Note on the limiting temperature		a connector according to IEC	C 61984
Degree of protection acc. to IEC 60529	IP65		
	4		
Type rating acc. to UL 50 / UL 50E	4X		
	12		
Material properties			

Material (hood/housing)	Aluminium die-cast
Surface (hood/housing)	Powder-coated
Colour (hood/housing)	RAL 9005 (jet black)
RoHS	compliant

Page 1 / 2 | Creation date 2023-06-24 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Stiftung & Co. KG | Marienwerderstr. 3 | 32339 Espelkamp | Germany

Product data sheet 09 37 048 0544 Han M Hood Side Entry HC PG 36



Material properties

ELV status	compliant
China RoHS	e
REACH Annex XVII substances	Not contained
REACH ANNEX XIV substances	Not contained
REACH SVHC substances	Not contained
California Proposition 65 substances	Yes
California Proposition 65 substances	Nickel
Fire protection on railway vehicles	EN 45545-2 (2020-08)
Requirement set with Hazard Levels	R1 (HL 1-3) R7 (HL 1-3)

Specifications and approvals

UL / CSA	UL 1977 ECBT2.E235076 CSA-C22.2 No. 182.3 ECBT8.E235076
CE	Yes
Approvals	DNV GL

Commercial data

Packaging size	1
Net weight	655 g
Country of origin	Germany
European customs tariff number	85389099
GTIN	5713140056039
eCl@ss	27440202 Shell for industrial connectors

Page 2 / 2 | Creation date 2023-06-24 | Please note that the data specified here were taken as extracts from the online catalogue. Please refer to the user documentation for the complete and up-to-date information and data. Please also note that the user is responsible for validating functionality, conformity with applicable laws and directives, as well as for the electrical safety in the particular application. HARTING Stiftung & Co. KG | Marienwerderstr. 3 | 32339 Espelkamp | Germany