



CUSTOMER: C-COR



DAUGHTERCARD HOLE PATTERN
(CONNECTOR SIDE)

NOTES: (UNLESS OTHERWISE SPECIFIED)

- MATERIALS: HOUSING : LIQUID CRYSTAL POLYMER (LCP)
GLASS-FILLED, UL94V-0, BLACK.
TERMINALS: COPPER ALLOY
STIFFENER: STAINLESS STEEL
- FINISH: SELECTIVE GOLD (Au) 0.76 micrometer MINIMUM
IN CONTACT AREA, SELECTIVE MATTE TIN (Sn) IN TAIL AREA,
NICKEL (Ni) UNDERPLATE OVERALL.
- REFER TO MOLEX PRODUCT SPECIFICATION PS-74031-999
FOR PERFORMANCE SPECIFICATIONS.
- PACKAGED PER PK-70873-5040
SCREWS PACKED IN BAGS INSIDE OF TUBES.
- REFER TO MOLEX DOCUMENT SD-74031-002 FOR ADDITIONAL
DETAIL ON THE SIGNAL WAFER.
- REFER TO MOLEX DOCUMENT SD-74037-005 FOR ADDITIONAL
DETAIL ON THE GUIDANCE MODULE.
- REFER TO MOLEX DOCUMENT SD-75885-001 FOR ADDITIONAL
DETAIL ON THE LEAD-FREE POWER MODULE.
- MARK LABEL WITH PART NUMBER AND DATE CODE.
LABEL MAY BE REPLACED BY LASER MARKINGS ON THE STIFFENER.
- THIS PART CONFORMS TO CLASS B REQUIREMENTS OF MOLEX
COSMETIC SPECIFICATION PS-45499-002.

LEAD-FREE
PLATING

ITEM	PART NUMBER	DESCRIPTION	QTY
1	74036-0073	STIFFENER	1
2	74031-1001	SIGNAL WAFER, LF	16
3	74037-0006	POLARIZING/GUIDE MODULE	2
4	73726-0000	GUIDE MODULE MNTG SCREW	2
5	75885-6320	POWER MODULE, LF	4

CHG TO LEAD-FREE EC NO: UCP2012-1775 D: DRWNGES 2011/11/15 CHKD:SDANNELLEY 2011/11/15 APPR:SMILLER 2011/12/19 REV DESCRIPTION	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)	DIMENSION STYLE	SCALE	DESIGN UNITS	THIRD ANGLE PROJECTION
	$\nabla=0$ $\nabla=0$ $\nabla=0$	mm INCH	MM ONLY	2:1	METRIC	
	4 PLACES ±--- ±--- 3 PLACES ±--- ±--- 2 PLACES ±0.25 ±--- 1 PLACE ±0.38 ±--- ANGULAR ±1/2°	DRAWN BY DATE GES 2011/11/15 CHECKED BY DATE SDANNELLEY 2011/11/15 APPROVED BY DATE SMILLER 2011/12/19	MATERIAL NO. 74030-0710	TITLE VHDM 6 ROW, LF DAUGHTERCARD SALES DRAWING	DOCUMENT NO. SD-74030-710	SHEET NO. 1 OF 1
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	MOLEX INCORPORATED				
THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX INCORPORATED AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION						