

THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION






ALL RIGHTS RESERVED.

© COPYRIGHT - By -

LOC
DWDIST
/

REVISIONS

P	LTR	DESCRIPTION	DATE	DWN	APVD
-	-	SEE SHEET 1	-	-	-








RECOMMENDED P.C.BOARD PATTERN LAYOUT (TOP VIEW)
TOLERANCE:±0.05 (THICKNESS=0.8mm)

△ [] : CONNECTOR OUTER LINE (NO COMPONENT AREA)

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	 TE Connectivity		
		CHK			
		APVD	NAME		
		PRODUCT SPEC	DC POWER JACK CONNECTOR DIP TYPE		
		APPLICATION SPEC			
		WEIGHT			
		CUSTOMER DRAWING			
		SCALE	5:1		
		SHEET	2 OF 3		
		REV	B7		

LOC DW	DIST —	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
			—	SEE SHEET 1	—	—	—

4. SHIPPING BOX DIMENSION: 445mmX445mmX270mm



450	5	2250
PCS/REEL	REEL/SHIPPING BOX	TOTAL Q'TY

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN	 TE Connectivity			
		CHK				
		APVD	NAME			
		PRODUCT SPEC	DC POWER JACK CONNECTOR DIP TYPE			
		APPLICATION SPEC				
		WEIGHT				
		CUSTOMER DRAWING				
		SCALE	NA	SHEET	3 of 3	REV B7