



External insulated cross-connector, No. of poles: 4, Mounting type: Plug in, Width: 19.46 mm, Rated current: 27 A; Colour: Yellow

RAL: 1026

Business data

Article number	<u>2044.0</u>
Article name	AQI 4/5/11 YE
GTIN (EAN)	4044211048495
Packaging unit	50
Quantity unit	PC
Weight per piece (not including packaging)	1.16 g
Weight per piece (including packaging)	1.17 g
Unit of weight	G
Customs number	85389099
Country of origin	DE
Product description	External insulated cross-connector
Colour	Yellow

Data sheet





Technical data	
Dimensions	
Width	19.46 mm
Pitch size	5 mm
Ratings	
Rated current	27 A
Contamination degree	3
Connection data	
No. of poles	4
Materials	
Material	Copper
Surface	Tin-plated
Insulation housing	Polyamide 6.6
Flammability class UL 94	V-2
Working temperature, min.	-40 °C
Working temperature, max.	105 °C
Further technical data	
Mounting type	Plug in
Insulation available	✓
Touch protection is available	✓
Number of bridged terminals	4
Environmental Product Compliance	
REACH Conform	yes
REACH Reference date	2023-01-17
REACH Candidate Substance Note	No
RoHS Conform	yes

Data sheet 2044.0 AQI 4/5/11 YE



Media



Accessories

##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1337.2	BKA 2,5/3 e.B. BG	4044211043858	50 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1342.2	BKA 2,5/10 e.B. BG	4044211043902	20 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1349.2	BKA 2,5/20 e.B. BG	4044211043971	10 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1362.2</u>	BKA 2,5/16 b.B. BG	4044211044107	20 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1336.2	BKA 2,5/2 e.B. BG	4044211043841	50 ST



Article number	Article name	GTIN (EAN)	Packaging unit
1348.2	BKA 2,5/18 e.B. BG	4044211043964	20 ST





Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1356.2	BKA 2,5/8 b.B. BG	4044211044046	20



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1357.2	BKA 2,5/10 b.B. BG	4044211044053	20 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1323.2	BKA 2,5/4 BG	4044211043278	50 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1324.2	BKA 2,5/5 BG	4044211043360	50 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1334.2	BKA 2,5/20 BG	4044211043827	10 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1326.2	BKA 2,5/8 BG	4044211043568	20 ST



Article number	Article name	GTIN (EAN)	Packaging unit
1331.2	BKA 2,5/15 BG	4044211043797	20 ST





Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1333.2	BKA 2,5/18 BG	4044211043810	20 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1360.2	BKA 2,5/14 b.B. BG	4044211044084	20 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1361.2	BKA 2,5/15 b.B. BG	4044211044091	20 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1363.2	BKA 2,5/18 b.B. BG	4044211044114	20 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1365.2	BKA 2,5/24 b.B. BG	4044211044138	10 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1325.2	BKA 2,5/6 BG	4044211043476	50 ST



Article number	Article name	GTIN (EAN)	Packaging unit
1329.2	BKA 2,5/13 BG	4044211043773	20 ST





Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1344.2	BKA 2,5/13 e.B. BG	4044211043926	20 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1347.2	BKA 2,5/16 e.B. BG	4044211043957	20 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1364.2	BKA 2,5/20 b.B. BG	4044211044121	10 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1335.2	BKA 2,5/24 BG	4044211043834	10 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1338.2	BKA 2,5/4 e.B. BG	4044211043865	50



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1346.2	BKA 2,5/15 e.B. BG	4044211043940	20 ST



Article number	Article name	GTIN (EAN)	Packaging unit
1351.2	BKA 2,5/2 b.B. BG	4044211043995	50 ST





Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1353.2	BKA 2,5/4 b.B. BG	4044211044015	50 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1354.2	BKA 2,5/5 b.B. BG	4044211044022	50 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1359.2	BKA 2,5/13 b.B. BG	4044211044077	20 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1321.2</u>	BKA 2,5/2 BG	4044211043070	50 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1330.2	BKA 2,5/14 BG	4044211043780	20 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1339.2	BKA 2,5/5 e.B. BG	4044211043872	50 ST



Article number	Article name	GTIN (EAN)	Packaging unit
1327.2	BKA 2,5/10 BG	4044211043650	20 ST





Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1332.2	BKA 2,5/16 BG	4044211043803	20 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1345.2	BKA 2,5/14 e.B. BG	4044211043933	20 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1350.2	BKA 2,5/24 e.B. BG	4044211043988	10 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1328.2	BKA 2,5/12 BG	4044211043742	20 ST



Ex feed-through terminal for direct mount ATEX-certified, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1405.2	BKA 2,5/1 Ex BG	4044211044527	100



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Width: 5 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1320.2	BKA 2,5/1 BG	4044211042967	100



Article number	Article name	GTIN (EAN)	Packaging unit
1322.2	BKA 2,5/3 BG	4044211043186	50 ST





Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1341.2	BKA 2,5/8 e.B. BG	4044211043896	20 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1352.2	BKA 2,5/3 b.B. BG	4044211044008	50 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1358.2	BKA 2,5/12 b.B. BG	4044211044060	20 ST



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1355.2</u>	BKA 2,5/6 b.B. BG	4044211044039	50

##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1329.2	BKA 2,5/13 BG	4044211043773	20 ST

##INVERSE##CONTA-CONNECT

Data sheet 2044.0 AQI 4/5/11 YE





Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1334.2</u>	BKA 2,5/20 BG	4044211043827	10 ST

##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1324.2	BKA 2,5/5 BG	4044211043360	50 ST

##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
<u>1357.2</u>	BKA 2,5/10 b.B. BG	4044211044053	20 ST

##INVERSE##CONTA-CONNECT



Article number	Article name	GTIN (EAN)	Packaging unit
1364.2	BKA 2,5/20 b.B. BG	4044211044121	10 ST

Data sheet 2044.0 AQI 4/5/11 YE



##INVERSE##CONTA-CONNECT

Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1342.2	BKA 2,5/10 e.B. BG	4044211043902	20 ST

##INVERSE##CONTA-CONNECT



Feed-through terminal for direct mount, Screw connection, Mounting type: Mounting surface, Rated cross-section: 2.5 mm², Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1353.2	BKA 2,5/4 b.B. BG	4044211044015	50 ST

##INVERSE##CONTA-CONNECT



Article number	Article name	GTIN (EAN)	Packaging unit
1358.2	BKA 2,5/12 b.B. BG	4044211044060	20 ST