CHAMP | CHAMP Docking Connectors

TE Internal #: 2129261-1

Docking Connectors, Plug, Cable-to-Board, 40 Position, .6 mm [. 024 in] Centerline, 3 Row, 40 Signal Positions, CHAMP Docking

Connectors

View on TE.com >



Connectors > Dock Connectors & Guide Hardware > Docking Connectors











Docking Connector Style: Plug

Connector System: Cable-to-Board

Number of Positions: 40

Centerline (Pitch): .6 mm [.024 in]

Number of Rows: 3

Features

Product Type Features

Docking Connector Style	Plug
Connector System	Cable-to-Board
Sealable	No
Connector & Contact Terminates To	Printed Circuit Board
Configuration Features	
Number of Positions	40
Number of Rows	3
Number of Signal Positions	40
Number of Power Positions	0
PCB Mount Orientation	Vertical
Body Features	
Shell Base Material	Stainless Steel
Contact Features	

.38 µm

Contact Mating Area Plating Material Thickness



Contact Mating Area Plating Material	Gold
Contact Base Material	Copper Alloy
Number of Utility Contacts	0
Contact Current Rating (Max)	.5 A, 1 A
Termination Features	
Termination Post & Tail Length	1.7 mm[.067 in]
Termination Method to Printed Circuit Board	Surface Mount, Through Hole - Solder
Mechanical Attachment	
PCB Mount Alignment	With
PCB Mount Retention Type	Hold-Down Post
PCB Mount Retention	With
Connector Mounting Type	Board Mount
Housing Features	
Centerline (Pitch)	.6 mm[.024 in]
Usage Conditions	
Operating Temperature Range	-40 - 85 °C[-40 - 185 °F]
Operation/Application	
Circuit Application	Power & Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	300

Product Compliance

Packaging Method

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233)

Reel



				CV/IIC
Does	not	contain	KEACH	SVHC

Free		Halogen Content Low Halogen - Br, Cl, F, I < 900 ppm per	Halogen	Content	homogenous material. Also BFR/CFR/PVC
------	--	--	---------	---------	---------------------------------------

Solder Process Capability

Reflow solder capable to 260°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts











Also in the Series | CHAMP Docking Connectors





D-Sub Covers(28)



D-Sub Locking & Mounting(29)



Docking Connector Guide Hardware(5)



Docking Connectors(31)



IDC D-Sub Connectors(77)



Customers Also Bought



TE Part #440129-8 2.0MM,HSG,8POS



TE Part #440055-6

AMP HPI 2.0 mm Headers



TE Part #1-1734592-3 FPC CONN. 0.5MM PITCH B/C, 13P







Documents

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_2129261-1_C.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_2129261-1_C.3d_igs.zip



English

Customer View Model

ENG_CVM_CVM_2129261-1_C.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Datasheets & Catalog Pages

6-1773457-9_CHAMP_DOCKING_CONNECTOR_QUICK_REFERENCE_GUIDE

English

Product Specifications

Product Specification

English