

Data sheet | Item number: 2006-1293

Separator plate; 2 mm thick; oversized; gray

www.wago.com/2006-1293



Color:

Data

Physical data

Width	2 mm / 0.079 inches
Height	56.5 mm / 2.224 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Depth	35.1 mm / 1.382 inches
-------	------------------------

Mechanical Data

Mounting type	snap-on type
---------------	--------------

Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.107 MJ
Weight	2.6 g

Commercial data

Product Group	22 (TOPJOB S)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4045454654207
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Approvals / Certificates**Declarations of conformity and manufacturer's declarations**

Logo	Approval	Additional Approval Text	Certificate name
	Railway WAGO GmbH & Co. KG	-	Railway Ready

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Required accessories

End plate

Through terminal block	
Item no.: 2006-1204	2-conductor through terminal block; 6 mm ² ; for Ex e II and Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; blue
www.wago.com/2006-1204	
Item no.: 2006-1202	2-conductor through terminal block; 6 mm ² ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; orange
www.wago.com/2006-1202	
Item no.: 2006-1201	2-conductor through terminal block; 6 mm ² ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; gray
www.wago.com/2006-1201	
Item no.: 2206-1204	2-conductor through terminal block; with push-button; 6 mm ² ; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; blue
www.wago.com/2206-1204	
Item no.: 2206-1201	2-conductor through terminal block; with push-button; 6 mm ² ; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; gray
www.wago.com/2206-1201	
Item no.: 2006-1203	2-conductor through terminal block; 6 mm ² ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; red
www.wago.com/2006-1203	
Item no.: 2006-1201/000-001	2-conductor through terminal block; 6 mm ² ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; green
www.wago.com/2006-1201/000-001	
Item no.: 2206-1203	2-conductor through terminal block; with push-button; 6 mm ² ; with test port; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; red
www.wago.com/2206-1203	
Item no.: 2206-1205	2-conductor through terminal block; with push-button; 6 mm ² ; with test port; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; black
www.wago.com/2206-1205	
Shield terminal block	
Item no.: 2006-1208	2-conductor shield terminal block; 6 mm ² ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; white
www.wago.com/2006-1208	
Ground terminal block	
Item no.: 2006-1207	2-conductor ground terminal block; 6 mm ² ; suitable for Ex e II applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; green-yellow
www.wago.com/2006-1207	
Item no.: 2206-1207	2-conductor ground terminal block; with push-button; 6 mm ² ; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 6,00 mm ² ; green-yellow
www.wago.com/2206-1207	

Subject to changes. Please also observe the further product documentation!



Downloads

Documentation

Bid Text

2006-1293 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
--------------------------	--------------	---------------	----------

2006-1293 doc - Datei	2017 年4月28 日	doc 24.1 kB	Download
--------------------------	--------------	----------------	----------

Additional Information

		pdf 2.3 MB	Download
--	--	---------------	----------

CAD/CAE-Data

CAD data

2D/3D Models 2006-1293		URL	Download
------------------------	--	-----	----------

CAE data

WSCAD Universe 2006-1293		URL	Download
--------------------------	--	-----	----------

ZUKEN Portal 2006-1293		URL	Download
------------------------	--	-----	----------

EPLAN Data Portal 2006-1293		URL	Download
-----------------------------	--	-----	----------

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 2006-1293 Seperator plate; 2 mm thick; oversized; gray		URL	Download
--	--	-----	----------

Installation Notes

Subject to changes. Please also observe the further product documentation!



Product family

TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!