# 5535657-1 - ACTIVE

TE Internal #: 5535657-1 PCMCIA Connectors, Fully Shrouded, Cable-to-Board, 68 Position, 1.27 mm [.05 in] Centerline, 2 Row, 1 Card Slots, Surface Mount, Right Angle, Signal

View on TE.com >



Connectors > PCB Connectors > Memory Card Connectors > PCMCIA Connectors



Header Type: Fully Shrouded Connector System: Cable-to-Board Number of Positions: 68

Centerline (Pitch): 1.27 mm [.05 in ]

Number of Rows: 2

# Features

# Product Type Features

Header Type

Connector System

Connector & Contact Terminates To

Fully Shrouded

Cable-to-Board

Printed Circuit Board

## **Configuration Features**

Number of Positions	68
Number of Rows	2
Number of Card Slots	1
PCB Mount Orientation	Right Angle
Electrical Characteristics	
Voltage Rating	5 VAC
Body Features	
Primary Product Color	Black
Connector Profile	Raised
Contact Features	
Contact Layout	Staggered
Contact Type	Pin
	30 µin
Contact Mating Area Plating Material	Gold

# 5535657-1

PCMCIA Connectors, Fully Shrouded, Cable-to-Board, 68 Position, 1.27 mm [.05 in] Centerline, 2 Row, 1 Card Slots, Surface Mount, Right Angle, Signal



Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Brass
Contact Current Rating (Max)	.1 A
Termination Features	
Termination Method to Printed Circuit Board	Surface Mount
Mechanical Attachment	
Connector Mounting Type	Board Mount
Housing Features	
Housing Material	LCP (Liquid Crystal Polymer)
Centerline (Pitch)	1.27 mm[.05 in]
Dimensions	
Profile Height from PCB	2.59 mm[.102 in]
Usage Conditions	
Operating Temperature Range	-20 – 70 °C[-4 – 158 °F]
Operation/Application	
Shielded	No
Circuit Application	Signal
Industry Standards	
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	20
Packaging Method	Box & Tray, Tray
Other	
Memory Card Connector Comment	Two size M2 screws (customer supplied) are required for strain relief.
Product Compliance For compliance documentation, visit the product page on TE.com>	
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold

**L** For support call+1 800 522 6752

# 5535657-1

PCMCIA Connectors, Fully Shrouded, Cable-to-Board, 68 Position, 1.27 mm [.05 in] Centerline, 2 Row, 1 Card Slots, Surface Mount, Right Angle, Signal



EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Reflow solder capable to 260°C

### Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

# **Compatible Parts**





# **Customers Also Bought**



# Documents

Product Drawings 68 MEM CARD HDR RSD SMT TOP

# 5535657-1

PCMCIA Connectors, Fully Shrouded, Cable-to-Board, 68 Position, 1.27 mm [.05 in] Centerline, 2 Row, 1 Card Slots, Surface Mount, Right Angle, Signal



# English CAD Files 3D PDF English Customer View Model ENG\_CVM\_5535657-1\_0.2d\_dxf.zip English Customer View Model ENG\_CVM\_5535657-1\_0.3d\_igs.zip English Customer View Model ENG\_CVM\_5535657-1\_0.3d\_igs.zip English Customer View Model ENG\_CVM\_5535657-1\_0.3d\_stp.zip English

Product Specifications Application Specification

English