






10 9 8 7 6 5 4 3 2 1



SECTION Z-Z



NOTE:

1. MATERIAL:

HOUSING: LCP, 30% GLASS-FILLED, UL 94V-0, COLOR IS BLACK
 TERMINAL: COPPER ALLOY, 0.12 MM BeCu

2. FINISH:

CONTACT AREA: 30-50 MICRO INCHES GOLD PLATING OVER 50-140 MICRO INCHES NICKEL
 SOLDER AREA: 3 MICRO MIN GOLD FLASH OVER 50-140 MICRO INCHES NICKEL
 REST AREA: 50-140 MICRO INCHES NICKEL

3. RECOMMENED WORKING RANGE 1.05 ~ 0.55 MM.

4. COPLANARITY: 0.1 MAX AMONG THESE SOLDER TAILS.

5. PRODUCT SPECIFICATION: PS-47531-001

475310011	4 PIN BATTERY CONNECTOR WITHOUT MYLAR
475310001	4 PIN BATTERY CONNECTOR WITH MYLAR
PART NUMBER	DESCRIPTION

DIMENSION STYLE MM ONLY		SCALE 10:1	DESIGN UNITS METRIC	THIRD ANGLE PROJECTION
-----------------------------------	--	----------------------	-------------------------------	---------------------------

DRAWN BY YLZHU02	DATE 2007/01/30	TITLE ASSEMBLY DRAWING 4 PIN BATTERY CONNECTOR 2.0MM PITCH
CHECKED BY XIXU	DATE 2007/01/31	
APPROVED BY JNCHEN	DATE 2007/01/31	

MATERIAL NO. SEE TABLE	DOCUMENT NO. SD-47531-001	SHEET NO. 1 OF 1
----------------------------------	-------------------------------------	----------------------------

NEW PRODUCT EC NO: SH2007-0529 DRWN: YLZHU02 2007/02/06 CHKD: XUXIANG 2007/02/06 APPR: JNCHEN 2007/02/15	QUALITY SYMBOLS	GENERAL TOLERANCES (UNLESS SPECIFIED)															
	▽=0 ∇=0	<table border="1"> <tr> <th></th> <th>mm</th> <th>INCH</th> </tr> <tr> <td>4 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>3 PLACES</td> <td>± ---</td> <td>± ---</td> </tr> <tr> <td>2 PLACES</td> <td>± 0.15</td> <td>± ---</td> </tr> <tr> <td>1 PLACE</td> <td>± 0.25</td> <td>± ---</td> </tr> </table>		mm	INCH	4 PLACES	± ---	± ---	3 PLACES	± ---	± ---	2 PLACES	± 0.15	± ---	1 PLACE	± 0.25	± ---
		mm	INCH														
	4 PLACES	± ---	± ---														
3 PLACES	± ---	± ---															
2 PLACES	± 0.15	± ---															
1 PLACE	± 0.25	± ---															
	ANGULAR ± 5 °																
	DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS																

9 8 7 6 5 4 3 2 1