










PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM "A"
70228-X01LF		
70228-X11LF		

OBSOLETE 
OBSOLETE 



- NOTES:**
- MATERIAL : BODY : LCP UL94-V0
: CONTACT : COPPER ALLOY.
 - FOR PLATING PERFORMANCE REFER DRAWING # 10159408.
 - INDICATED HOLES ARE UNPLATED.
 - THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004.
 - THE HOUSING WILL WITHSTAND EXPOSURE TO 260° PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.
 - DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
 - A  SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

PART NUMBER : 70228-XY1LF







mat'l. code		surface		tolerance		projection		product family	
		ISO 1302		ISO 406 ISO 1101				METRAL	
ltr		ecn no		dr		date		title	
N		DG09-0068		CENH		2009-06-06		RA FEMALE SIGNAL	
P		ELX-I-36112		ARUN		2020-02-25		STB 24mm VERSION	
R		ELX-I-38655		MINI		2020-09-22		scale	
S		ELX-I-44042		NIRMAL		2022-03-05		dwg no	
				dr		A.VAN ZANTEN		1990-09-18	
				enfr		ARUN		2022-03-05	
				chr		ALEX BABU		2022-03-05	
				appd		SANJ		2022-03-05	
sheet index		revision sheet		S		S		S	
		1		2		3			
								type	
								Product Customer Drawing	

Amphenol FCI

© 2016 AFCl

PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM"A"
70228-X02LF	1.6	2.90
70228-X12LF	2.4	3.53
70228-T02LF	1.6	2.90

CUSTOMER SPECIAL



PART NUMBER : 70228-XYLF

- NOTES:
- MATERIAL : BODY : LCP UL94-V0
: CONTACT : COPPER ALLOY.
 - FOR PLATING PERFORMANCE REFER DRAWING # 10159408
 - INDICATED HOLES ARE UNPLATED
 - SET BACK FOR TAIL BLOCK
 - TOP SURFACE OF PRESS BLOCK MAY EXTEND UP TO 0.4MM HIGHER THAN HOUSING. THIS MAY AFFECT THE TAIL LENGTH BEFORE APPLICATION TO A BOARD.
 - THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47- 0004
 - THE HOUSING WILL WITHSTAND EXPOSURE TO 260° PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION
 - DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
 - A Δ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.





mat'l. code		surface		tolerance		projection		product family	
		ISO 1302		ISO 406 ISO 1101		mm		METRAL	
lfr		ecn no		dr		date		title	
N		DG09-0068		CENH		2009-06-06		RA FEMALE SIGNAL	
P		ELX-I-36112		ARUN		2020-02-25		STB 24mm VERSION	
R		ELX-I-38655		MINI		2020-09-22		0°±2°	
S		ELX-I-44042		NIRPHAL		2022-03-05		dr	
								A.VAN ZANTEN 1990-09-18	
								enr	
								ARUN 2022-03-05	
								chr	
								ALEX BABU 2022-03-05	
								appd	
								SANUJ 2022-03-05	
sheet		revision		S		S		S	
index		sheet		1		2		3	

RECOMMENDED HOLE PATTERN, COMPONENT SIDE.


Amphenol FCI

© 2016 AFCI

PC BOARD VERSIONS		
PRODUCTNR:	PCB THICKNESS	DIM "A"
70228-X03LF	1.6	2.90
70228-X13LF	2.4	3.53



PRODUCT AFTER HOT RIVETTING



REFER NOTE-2

PART NUMBER : 70228-XYLFF

NOTES:

- MATERIAL : BODY : LCP UL94-V0
: CONTACT : COPPER ALLOY.
- FOR PLATING PERFORMANCE REFER DRAWING # 10159408.
- INDICATED HOLES ARE UNPLATED.
- THIS PRODUCT MEETS EUROPEAN UNION DIRECTIVES AND OTHER COUNTRY REGULATIONS AS DESCRIBED IN GS-47-0004.
- THE HOUSING WILL WITHSTAND EXPOSURE TO 260° PEAK TEMPERATURE FOR 10 SECONDS IN A WAVE SOLDER APPLICATION.
- DIAMOND LOCATION PEG ARE ONLY EXISTED ON THE BOTH SIDES OF PRODUCT.
- A Δ SYMBOL WILL BE NEXT TO ANY DIMENSION, VIEW, OR NOTE WHICH HAS BEEN MODIFIED WITH THE CURRENT DRAWING REVISION.

mat'l. code		surface		tolerance		projection		product family	
		ISO 1302		ISO 406 ISO 1101		mm		METRAL	
lfr		ecn no	dr	date		tolerances unless otherwise specified		title	
N	DG09-0068	CENH		2009-06-06		.0±0.3		RA FEMALE SIGNAL	
P	ELX-I-36112	ARUN		2020-02-25		linear .00±0.13		STB 24mm VERSION	
R	ELX-I-38655	MINI		2020-09-22		0°±2° .000±0.050		dwg no	
S	ELX-I-44042	NIRHAL		2022-03-05		engr		sheet 3 of 3	
				dr		A.VAN ZANTEN		size	
				engr		ARUN		A2	
				chr		ALEX BABU		70228	
				appd		SAN0J		type Product Customer Drawing	
sheet		revision		S		S		S	
index		sheet		1		2		3	