


# Miniature Neon Indicators WITH BUILT-IN RESISTOR FOR MOUNTING IN 11/16" CLEARANCE HOLE

For materials and finishes of products in this group, see page 53D.




T-3 1/4  
B1A (NE-51)  
B2A (NE-51H)  
MINIATURE BAYONET BASE


See lamp ratings  
on page L.

Recognized under the component  
program of Underwriters' =  
Laboratories Inc.


75W., 125V  
75W., 250V




52-0463-0991-311  
Screw-in lens cap



95-0408-0931-341  
Screw-in lens cap



132-1363-0991-311  
Screw-in lens cap



135-5708-1431-341  
Screw-in lens cap

## WITH SCREW-IN LENS CAPS

52 SERIES  
95 SERIES  
132 SERIES  
135 SERIES

solder terminals	screw terminals	quick connect terminals	solder terminals ■
<p>1/16 X 13/16 O.D. FLANGE 1/16 PANEL (REF.) .030 ± .005 X 61/64 ± .020 O.D. INTERNAL TOOTH LOCKWASHER 3/32 X 13/16 ACROSS FLATS HEX. NUT 11/16-27 NS THD. MOUNTING BUSHING + SIGN MARKED ON THE TERMINAL CONNECTED TO THE CENTER CONTACT.</p> <p>5/8 X 1/8 (2 SLOTS)</p> <p>PROJECTION BACK OF PANEL 1 11/16 MAX.</p>	<p>SCREWS No. 4-36 THD.</p>	<p>1/16 DIA. (2 HOLES)</p>	<p>1/16 X 3/4 O.D. FLANGE 1/16 PANEL (REF.) .030 ± .005 X 61/64 ± .020 O.D. INTERNAL TOOTH LOCKWASHER 3/32 X 13/16 ACROSS FLATS HEX. NUT 11/16-27 NS THD. MOUNTING BUSHING + SIGN MARKED ON THE TERMINAL CONNECTED TO THE CENTER CONTACT.</p> <p>5/8 X 1/8 (2 SLOTS)</p> <p>PROJECTION BACK OF PANEL 1-21/32 MAX.</p>

### BASE PART NUMBERS

105-125VAC-DC*	95-0408-09-341	95-1308-09-341	95-5708-09-341	95-9108-09-142
110-125VAC†	95-0463-09-311	95-1363-09-311	95-5763-09-311	95-9163-09-112
210-250VAC-DC†	95-9463-09-361	95-9363-09-361	95-5863-09-361	95-9263-09-162

CAP PART NUMBERS	VOLTAGES	COMPLETE ASSEMBLY PART NUMBERS			
<p>9/16 - 27 NS THD</p> <p>5/8</p> <p>3/16</p> <p>5/8</p> <p>52-0991 stovepipe internal fluting</p>	<p>105-125V AC-DC</p> <p>110-125 VAC</p> <p>210-250V AC-DC</p>	<p>52-0408-0991-341</p> <p>52-0463-0991-311</p> <p>52-9463-0991-361</p>	<p>52-1308-0991-341</p> <p>52-1363-0991-311</p> <p>52-9363-0991-361</p>	<p>52-5708-0991-341</p> <p>52-5763-0991-311</p> <p>52-5863-0991-361</p>	<p>52-9108-0991-142</p> <p>52-9163-0991-112</p> <p>52-9263-0991-162</p>
<p>9/16 - 27 NS THD</p> <p>5/8</p> <p>3/16</p> <p>5/8</p> <p>95-0931 stovepipe transparent</p>	<p>105-125V AC-DC</p> <p>110-125 VAC</p> <p>210-250V AC-DC</p>	<p>95-0408-0931-341</p> <p>95-0463-0931-311</p> <p>95-9463-0931-361</p>	<p>95-1308-0931-341</p> <p>95-1363-0931-311</p> <p>95-9363-0931-361</p>	<p>95-5708-0931-341</p> <p>95-5763-0931-311</p> <p>95-5863-0931-361</p>	<p>95-9108-0931-142</p> <p>95-9163-0931-112</p> <p>95-9263-0931-162</p>
<p>9/16 - 27 NS THD</p> <p>5/8</p> <p>3/16</p> <p>5/8</p> <p>132-0991 stovepipe internal fluting</p>	<p>105-125V AC-DC</p> <p>110-125 VAC</p> <p>210-250V AC-DC</p>	<p>132-0408-0991-341</p> <p>132-0463-0991-311</p> <p>132-9463-0991-361</p>	<p>132-1308-0991-341</p> <p>132-1363-0991-311</p> <p>132-9363-0991-361</p>	<p>132-5708-0991-341</p> <p>132-5763-0991-311</p> <p>132-5863-0991-361</p>	<p>132-9108-0991-142</p> <p>132-9163-0991-112</p> <p>132-9263-0991-162</p>
<p>9/16 - 27 NS THD</p> <p>5/8</p> <p>3/16</p> <p>5/8</p> <p>135-1431 cylindrical transparent</p>	<p>105-125V AC-DC</p> <p>110-125 VAC</p> <p>210-250V AC-DC</p>	<p>135-0408-1431-341</p> <p>135-0463-1431-311</p> <p>135-9463-1431-361</p>	<p>135-1308-1431-341</p> <p>135-1363-1431-311</p> <p>135-9363-1431-361</p>	<p>135-5708-1431-341</p> <p>135-5763-1431-311</p> <p>135-5863-1431-361</p>	<p>135-9108-1431-142</p> <p>135-9163-1431-112</p> <p>135-9263-1431-162</p>

\* Standard brightness  
† High brightness

■ These units are designed for commercial application  
where military standards are not required.

Part numbers shown in gray are normally  
in inventory at your Dialight Distributor.