


Data sheet | Item number: 727-208

4-level end plate; marking: d-c-b-a--a-b-c-d; 7.62 mm thick; orange

www.wago.com/727-208



Data

Physical data

| | |
|--------|-----------------------|
| Width | 7.62 mm / 0.3 inches |
| Height | 126 mm / 4.961 inches |

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



| | |
|-------|------------------------|
| Depth | 44.3 mm / 1.744 inches |
|-------|------------------------|

Mechanical Data

| | |
|---------|------------------|
| Marking | d-c-b-a--a-b-c-d |
|---------|------------------|

Material Data

| | |
|----------------------|--|
| Note (material data) | Information on material specifications can be found here |
|----------------------|--|

| | |
|-----------------------------|------------------|
| Color | orange |
| Material group | I |
| Insulation material | Polyamide (PA66) |
| Flammability class per UL94 | V0 |
| Fire load | 0.215 MJ |
| Weight | 7.2 g |

Environmental requirements

| | |
|----------------------------------|-----------------|
| Processing temperature | -35 ... +85 °C |
| Continuous operating temperature | -60 ... +105 °C |

Commercial data

| | |
|-----------------------|-------------------------|
| Product Group | 12 (Matrix Patch Board) |
| eCl@ss 10.0 | 27-14-11-33 |
| eCl@ss 9.0 | 27-14-11-33 |
| ETIM 8.0 | EC000886 |
| ETIM 7.0 | EC000886 |
| PU (SPU) | 25 pcs |
| Packaging type | box |
| Country of origin | DE |
| GTIN | 4017332233576 |
| Customs tariff number | 85389099990 |

Environmental Product Compliance

| | |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

Subject to changes. Please also observe the further product documentation!

Required accessories

End plate

| Common potential terminal block | |
|---|--|
| Item no.: 727-225/024-000 4-level same potential terminal block; with locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 7.5 mounting rail; 1.5 mm ² ; 1,50 mm ² ; orange | www.wago.com/727-225/024-000 |
| Item no.: 727-235/024-000 4-level same potential terminal block; with locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 15 mounting rail; 1.5 mm ² ; 1,50 mm ² ; orange | www.wago.com/727-235/024-000 |
| Item no.: 727-226/024-000 4-level same potential terminal block; without locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 7.5 mounting rail; 1.5 mm ² ; 1,50 mm ² ; orange | www.wago.com/727-226/024-000 |
| Item no.: 727-237/024-000 4-level same potential terminal block; with locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 15 mounting rail; 1.5 mm ² ; 1,50 mm ² ; light gray | www.wago.com/727-237/024-000 |
| Item no.: 727-236/024-000 4-level same potential terminal block; without locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 15 mounting rail; 1.5 mm ² ; 1,50 mm ² ; orange | www.wago.com/727-236/024-000 |
| Item no.: 727-227/024-000 4-level same potential terminal block; with locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 7.5 mounting rail; 1.5 mm ² ; 1,50 mm ² ; light gray | www.wago.com/727-227/024-000 |
| Item no.: 727-238/024-000 4-level same potential terminal block; without locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 15 mounting rail; 1.5 mm ² ; 1,50 mm ² ; light gray | www.wago.com/727-238/024-000 |
| Item no.: 727-228/024-000 4-level same potential terminal block; without locking clips; all clamping units internally commoned; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 7.5 mounting rail; 1.5 mm ² ; 1,50 mm ² ; light gray | www.wago.com/727-228/024-000 |
| Terminal block for matrix patching | |
| Item no.: 727-220/024-000 4-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 7.5 mounting rail; 1.5 mm ² ; 1,50 mm ² ; gray | www.wago.com/727-220/024-000 |
| Item no.: 727-223/024-000 4-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 7.5 mounting rail; 1.5 mm ² ; 1,50 mm ² ; blue | www.wago.com/727-223/024-000 |
| Item no.: 727-230/024-000 4-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 15 mounting rail; 1.5 mm ² ; 1,50 mm ² ; gray | www.wago.com/727-230/024-000 |

Subject to changes. Please also observe the further product documentation!



| | |
|--|--|
| Item no.: 727-233/024-000 4-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 15 mounting rail; 1.5 mm ² ; 1,50 mm ² ; blue | www.wago.com/727-233/024-000 |
| Item no.: 727-222/024-000 4-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 7.5 mounting rail; 1.5 mm ² ; 1,50 mm ² ; white | www.wago.com/727-222/024-000 |
| Item no.: 727-229/024-000 4-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 15 mounting rail; 1.5 mm ² ; 1,50 mm ² ; gray | www.wago.com/727-229/024-000 |
| Item no.: 727-232/024-000 4-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 15 mounting rail; 1.5 mm ² ; 1,50 mm ² ; white | www.wago.com/727-232/024-000 |
| Item no.: 727-234/024-000 4-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 15 mounting rail; 1.5 mm ² ; 1,50 mm ² ; blue | www.wago.com/727-234/024-000 |
| Item no.: 727-221/024-000 4-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 7.5 mounting rail; 1.5 mm ² ; 1,50 mm ² ; white | www.wago.com/727-221/024-000 |
| Item no.: 727-219/024-000 4-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 7.5 mounting rail; 1.5 mm ² ; 1,50 mm ² ; gray | www.wago.com/727-219/024-000 |
| Item no.: 727-224/024-000 4-level terminal block for matrix patching; without locking clips; one potential per level; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 7.5 mounting rail; 1.5 mm ² ; 1,50 mm ² ; blue | www.wago.com/727-224/024-000 |
| Item no.: 727-231/024-000 4-level terminal block for matrix patching; with locking clips; one potential per level; with 2.3 mm Ø test port; marking: d-c-b-a--a-b-c-d; for 35 x 15 mounting rail; 1.5 mm ² ; 1,50 mm ² ; white | www.wago.com/727-231/024-000 |

Optional accessories

Tool

| | |
|--|--|
| Operating tool | |
| Item no.: 210-647 Operating tool; Blade: 2.5 x 0.4 mm; with a partially insulated shaft; multicoloured | www.wago.com/210-647 |
| Item no.: 210-719 Operating tool; Blade: 2.5 x 0.4 mm; with a partially insulated shaft | www.wago.com/210-719 |

Downloads

Documentation

Bid Text

Subject to changes. Please also observe the further product documentation!



| | | | |
|------------------------|--------------|---------------|----------|
| 727-208 X81 - Datei | 2019 年2月19 日 | xml 2.6 kB | Download |
|------------------------|--------------|---------------|----------|

| | | | |
|------------------------|--------------|----------------|----------|
| 727-208 doc - Datei | 2017 年8月18 日 | doc 24.1 kB | Download |
|------------------------|--------------|----------------|----------|

Additional Information

| | | | |
|--|--|---------------|----------|
| | | pdf 2.3 MB | Download |
|--|--|---------------|----------|

CAD/CAE-Data

CAD data

| | | | |
|----------------------|--|-----|----------|
| 2D/3D Models 727-208 | | URL | Download |
|----------------------|--|-----|----------|

CAE data

| | | | |
|---------------------------|--|-----|----------|
| EPLAN Data Portal 727-208 | | URL | Download |
|---------------------------|--|-----|----------|

| | | | |
|----------------------|--|-----|----------|
| ZUKEN Portal 727-208 | | URL | Download |
|----------------------|--|-----|----------|

| | | | |
|------------------------|--|-----|----------|
| WSCAD Universe 727-208 | | URL | Download |
|------------------------|--|-----|----------|

Environmental Product Compliance

Compliance Search

| | | | |
|---|--|-----|----------|
| Environmental Product Compliance 727-208 4-level end plate; marking: d-c-b-a--a-b-c-d; 7.62 mm thick; orange | | URL | Download |
|---|--|-----|----------|

Installation Notes

Subject to changes. Please also observe the further product documentation!