

Data sheet | Item number: 235-600

End plate; snap-fit type; 1 mm thick; orange

www.wago.com/235-600



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Data

Physical data

Width	1 mm / 0.039 inches
Height	9.2 mm / 0.362 inches
Depth	12.5 mm / 0.492 inches

Mechanical Data

Mounting type	snap-on type
---------------	--------------

Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.003 MJ
Weight	0.1 g

Commercial data

Product Group	4 (Printed Circuit Connectors)
eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	2000 (100) pcs
Packaging type	box
Country of origin	CN
GTIN	4017332126700
Customs tariff number	85389099990

Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Subject to changes. Please also observe the further product documentation!



Required accessories

End plate

PCB terminal block		
Item no.: 235-766/331-000	Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 10/10.16 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm ² ; orange	www.wago.com/235-766/331-000
Item no.: 235-767/331-000	Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 10/10.16 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm ² ; light green	www.wago.com/235-767/331-000
Item no.: 235-771	Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 3.81 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm ² ; gray	www.wago.com/235-771
Item no.: 235-772	Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 3.81 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm ² ; dark gray	www.wago.com/235-772
Item no.: 235-775	Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 3.81 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm ² ; white	www.wago.com/235-775
Item no.: 235-774	Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 3.81 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm ² ; blue	www.wago.com/235-774
Item no.: 235-777	Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 3.81 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm ² ; light green	www.wago.com/235-777
Item no.: 235-778	Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 3.81 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm ² ; black	www.wago.com/235-778
Item no.: 235-776	Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 3.81 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm ² ; yellow	www.wago.com/235-776
Item no.: 235-801	Stackable PCB terminal block; 2.5 mm ² ; Pin spacing 10/10.16 mm; 1-pole; PUSH WIRE®; 2,50 mm ² ; gray	www.wago.com/235-801
Item no.: 235-770	Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 3.81 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm ² ; red	www.wago.com/235-770
Item no.: 235-801/331-000	Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 10/10.16 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm ² ; gray	www.wago.com/235-801/331-000
Item no.: 235-101	Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 3.81 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm ² ; orange	www.wago.com/235-101
Item no.: 235-101/330-000	Stackable PCB terminal block; 1.5 mm ² ; Pin spacing 3.81 mm; 1-pole; PUSH WIRE®; 1,50 mm ² ; orange	www.wago.com/235-101/330-000

Subject to changes. Please also observe the further product documentation!



Item no.: 235-740/331-000 Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 5/5.08 mm; 1-pole; Push-in CAGE CLAMP [®] ; 1,50 mm ² ; red	www.wago.com/235-740/331-000
Item no.: 235-741/331-000 Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 5/5.08 mm; 1-pole; Push-in CAGE CLAMP [®] ; 1,50 mm ² ; yellow	www.wago.com/235-741/331-000
Item no.: 235-744 Stackable PCB terminal block; 2.5 mm ² ; Pin spacing 5/5.08 mm; 1-pole; PUSH WIRE [®] ; 2,50 mm ² ; blue	www.wago.com/235-744
Item no.: 235-742/331-000 Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 5/5.08 mm; 1-pole; Push-in CAGE CLAMP [®] ; 1,50 mm ² ; dark gray	www.wago.com/235-742/331-000
Item no.: 235-743/331-000 Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 5/5.08 mm; 1-pole; Push-in CAGE CLAMP [®] ; 1,50 mm ² ; light gray	www.wago.com/235-743/331-000
Item no.: 235-745/331-000 Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 5/5.08 mm; 1-pole; Push-in CAGE CLAMP [®] ; 1,50 mm ² ; white	www.wago.com/235-745/331-000
Item no.: 235-744/331-000 Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 5/5.08 mm; 1-pole; Push-in CAGE CLAMP [®] ; 1,50 mm ² ; blue	www.wago.com/235-744/331-000
Item no.: 235-743 Stackable PCB terminal block; 2.5 mm ² ; Pin spacing 5/5.08 mm; 1-pole; PUSH WIRE [®] ; 2,50 mm ² ; light gray	www.wago.com/235-743
Item no.: 235-742 Stackable PCB terminal block; 2.5 mm ² ; Pin spacing 5/5.08 mm; 1-pole; PUSH WIRE [®] ; 2,50 mm ² ; dark gray	www.wago.com/235-742
Item no.: 235-746 Stackable PCB terminal block; 2.5 mm ² ; Pin spacing 5/5.08 mm; 1-pole; PUSH WIRE [®] ; 2,50 mm ² ; orange	www.wago.com/235-746
Item no.: 235-501/331-000 Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 7.5/7.62 mm; 1-pole; Push-in CAGE CLAMP [®] ; 1,50 mm ² ; gray	www.wago.com/235-501/331-000
Item no.: 235-401 Stackable PCB terminal block; 2.5 mm ² ; Pin spacing 5/5.08 mm; 1-pole; PUSH WIRE [®] ; 2,50 mm ² ; gray	www.wago.com/235-401
Item no.: 235-401/331-000 Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 5/5.08 mm; 1-pole; Push-in CAGE CLAMP [®] ; 1,50 mm ² ; gray	www.wago.com/235-401/331-000
Item no.: 235-746/331-000 Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 5/5.08 mm; 1-pole; Push-in CAGE CLAMP [®] ; 1,50 mm ² ; orange	www.wago.com/235-746/331-000
Item no.: 235-747/331-000	

Subject to changes. Please also observe the further product documentation!



Stackable PCB terminal block; push-button; 1.5 mm²; Pin spacing 5/5.08 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm²; light green

www.wago.com/235-747/331-000

Item no.: 235-749/331-000

Stackable PCB terminal block; push-button; 1.5 mm²; Pin spacing 5/5.08 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm²; violet

www.wago.com/235-749/331-000

Item no.: 235-752/331-000

Stackable PCB terminal block; push-button; 1.5 mm²; Pin spacing 7.5/7.62 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm²; dark gray

www.wago.com/235-752/331-000

Item no.: 235-754/331-000

Stackable PCB terminal block; push-button; 1.5 mm²; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-i applications; Push-in CAGE CLAMP®; 1,50 mm²; blue

www.wago.com/235-754/331-000

Item no.: 235-753

Stackable PCB terminal block; 2.5 mm²; Pin spacing 7.5/7.62 mm; 1-pole; PUSH WIRE®; 2,50 mm²; light gray

www.wago.com/235-753

Item no.: 235-752

Stackable PCB terminal block; 2.5 mm²; Pin spacing 7.5/7.62 mm; 1-pole; PUSH WIRE®; 2,50 mm²; dark gray

www.wago.com/235-752

Item no.: 235-748/331-000

Stackable PCB terminal block; push-button; 1.5 mm²; Pin spacing 5/5.08 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm²; black

www.wago.com/235-748/331-000

Item no.: 235-747

Stackable PCB terminal block; 2.5 mm²; Pin spacing 5/5.08 mm; 1-pole; PUSH WIRE®; 2,50 mm²; light green

www.wago.com/235-747

Item no.: 235-756/331-000

Stackable PCB terminal block; push-button; 1.5 mm²; Pin spacing 7.5/7.62 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm²; orange

www.wago.com/235-756/331-000

Item no.: 235-753/331-000

Stackable PCB terminal block; push-button; 1.5 mm²; Pin spacing 7.5/7.62 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm²; light gray

www.wago.com/235-753/331-000

Item no.: 235-757/331-000

Stackable PCB terminal block; push-button; 1.5 mm²; Pin spacing 7.5/7.62 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm²; light green

www.wago.com/235-757/331-000

Item no.: 235-758/331-000

Stackable PCB terminal block; push-button; 1.5 mm²; Pin spacing 7.5/7.62 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm²; black

www.wago.com/235-758/331-000

Item no.: 235-762

Stackable PCB terminal block; 2.5 mm²; Pin spacing 10/10.16 mm; 1-pole; PUSH WIRE®; 2,50 mm²; dark gray

www.wago.com/235-762

Item no.: 235-754

Stackable PCB terminal block; 2.5 mm²; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-i applications; PUSH WIRE®; 2,50 mm²; blue

www.wago.com/235-754

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



Item no.: 235-756 Stackable PCB terminal block; 2.5 mm ² ; Pin spacing 7.5/7.62 mm; 1-pole; PUSH WIRE®; 2,50 mm ² ; orange	www.wago.com/235-756
Item no.: 235-762/331-000 Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 10/10.16 mm; 1-pole; Push-in CAGE CLAMP®; 1,50 mm ² ; dark gray	www.wago.com/235-762/331-000
Item no.: 235-757 Stackable PCB terminal block; 2.5 mm ² ; Pin spacing 7.5/7.62 mm; 1-pole; PUSH WIRE®; 2,50 mm ² ; light green	www.wago.com/235-757
Item no.: 235-766 Stackable PCB terminal block; 2.5 mm ² ; Pin spacing 10/10.16 mm; 1-pole; PUSH WIRE®; 2,50 mm ² ; orange	www.wago.com/235-766
Item no.: 235-764/331-000 Stackable PCB terminal block; push-button; 1.5 mm ² ; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-i applications; Push-in CAGE CLAMP®; 1,50 mm ² ; blue	www.wago.com/235-764/331-000
Item no.: 235-716 Stackable 2-conductor PCB terminal block; 0.75 mm ² ; Pin spacing 5/5.08 mm; 1-pole; PUSH WIRE®; 0,75 mm ² ; orange	www.wago.com/235-716
Item no.: 235-716/331-000 Stackable 2-conductor PCB terminal block; push-button; 0.75 mm ² ; Pin spacing 5/5.08 mm; 1-pole; PUSH WIRE®; 0,75 mm ² ; orange	www.wago.com/235-716/331-000
Item no.: 235-726 Stackable 2-conductor PCB terminal block; 0.75 mm ² ; Pin spacing 7.5/7.62 mm; 1-pole; PUSH WIRE®; 0,75 mm ² ; orange	www.wago.com/235-726
Item no.: 235-726/331-000 Stackable 2-conductor PCB terminal block; push-button; 0.75 mm ² ; Pin spacing 7.5/7.62 mm; 1-pole; PUSH WIRE®; 0,75 mm ² ; orange	www.wago.com/235-726/331-000

Downloads

Documentation

Additional Information

2019 年4月3日

pdf
2.0 MB

Download

CAD/CAE-Data

CAD data

2D/3D Models 235-600

URL

Download

CAE data

EPLAN Data Portal 235-600

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



[URL](#) [Download](#)

ZUKEN Portal 235-600

[URL](#) [Download](#)

Environmental Product Compliance

Compliance Search

Environmental Product Compliance 235-600

[URL](#) [Download](#)

End plate; snap-fit type; 1 mm thick; orange

Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.