1577641-1 ✓ ACTIVE

STRATO-THERM

TE Internal #: 1577641-1

Ring Terminals & Spade Terminals, Ring Tongue, 14-12 AWG Wire Size, 2.08-3.31 mm² Wire Size, 3260-8230 CMA Wire Size,

STRATO-THERM

View on TE.com >



Terminals & Splices > Ring Terminals & Spade Terminals



Ring & Spade Terminal Type: Ring Tongue

Wire Size: 3260 – 8230 CMA

Stud Size: 1/4

Features

Product Type Features

Stud Size	1/4
Sealable	No
Wire Insulation Support Retention Type	Insulation Support
Configuration Features	
Number of Holes	1
Electrical Characteristics	
Current Rating	1 A
Body Features	
Insulation Sleeve Color	Beige
Contact Features	
Ring & Spade Terminal Type	Ring Tongue
Barrel Type	Closed
Terminal Orientation	Straight



Wire Insulation Support	With
Dimensions	
Accepts Wire Insulation Diameter (Min)	2.3 mm[.09 in]
Wire Size	3260 – 8230 CMA
Stud Diameter	6.74 mm[.265 in]
Tongue Thickness	.79 mm[.031 in]
Product Length	28.56 mm[1.124 in]
Compatible Insulation Diameter (Max)	3.18 mm[.125 in]
Compatible Insulation Diameter Range	2.29 – 3.18 mm[.09 – .125 in]
Usage Conditions	
Insulation Option	Partially Insulated
Operating Temperature Range	260 °C[500 °F]
Industry Standards	
Government Qualified Terminal	No
Packaging Features	
Packaging Quantity	500
Packaging Method	Bag

Product Compliance

For compliance documentation, visit the product page on TE.com>

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as



EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach

Compatible Parts









Also in the Series | STRATO-THERM



Ring Terminals & Spade Terminals(96)



Splices(16)

Customers Also Bought



















TE Part #5039294084 DR-25-3/16-0-CS-34034

TE Part #ER6594-000 D-436-83CS9376

Documents

Product Drawings

TERMINAL, PEEK PIDG STRATO, 14-12AWG

English

CAD Files

3D PDF

3D

Customer View Model

ENG_CVM_CVM_1577641-1_B.2d_dxf.zip

English

Customer View Model

ENG_CVM_CVM_1577641-1_B.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_1577641-1_B.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications

Application Specification

English

Product Environmental Compliance

TE Material Declaration

English