

# Data sheet

## 2391.0 H 16,0/12



Wire-end ferrules, Max. wire cross-section: 16 mm<sup>2</sup>, Length: 12 mm, Colour: natural

### Business data

Article number	2391.0
Article name	H 16,0/12
GTIN (EAN)	4044211051761
Packaging unit	500
Quantity unit	PC
Weight per piece (not including packaging)	0.41 g
Weight per piece (including packaging)	0.42 g
Unit of weight	G
Customs number	85369010
Country of origin	DE
Product description	Ferrules
Colour	Natural

# Data sheet

## 2391.0 H 16,0/12

---

### Technical data

---

#### Dimensions

Length	12 mm
Diameter of copper pipe	5.8 mm
Diameter of feed-in funnel	7.5 mm
Wall thickness of copper pipe	0.2 mm

#### Connection data

Wire cross-section, max.	16 mm <sup>2</sup>
Wire cross-section AWG, max.	6
Stripping length	12 mm

#### Materials

Copper pipe	Copper alloy
Surface	Galvanically tin-plated, shiny
Working temperature, max.	120 °C

#### Environmental Product Compliance

REACH Conform	yes
REACH Reference date	2023-01-17
REACH Candidate Substance Note	No
RoHS Conform	yes

# Data sheet

## 2391.0 H 16,0/12



---

### Approvals

---

#### Standards and regulations

---

DIN 46228-1:1992	yes
------------------	-----

---

# Data sheet

## 2391.0 H 16,0/12



---

### Media

---

# Data sheet

## 2391.0 H 16,0/12



---

### Accessories

---