

Wall mounted enclosure, Spacial S3X, stainless steel 304L, plain door, 800x600x250mm, IP66

NSYS3X8625

Range	Spacial
Product name	Spacial S3X
Enclosure type	Multi-purpose
Category	Compact enclosure
Nominal height	800 mm
Nominal width	600 mm
Nominal depth	250 mm
Product installation	Wall-mounting
Device composition	1 body 1 door 2 lock: door 2 perforated vertical profile drilled: door

### Complementary

Body type	Single piece body, cross-shaped structure Gutter shaped front rail
Door type	Plain
Number of doors	Front face: 1 door(s)
Door opening side	Reversible (120 °)
Lock type	2 points lock, 3 mm double-bar
Mounting plate description	Without mounting plate
Type of gland plate	Without gland plate
Accessibility for operation	Front
Removable parts	Door by hinges
Material	Body and door: stainless steel 304L Lock: zamak Hinge: stainless steel
Surface finish	Body and door: Scotch-Brite® brushed Lock: chromium plated
Product weight	22.474 kg

#### **Environment**

Standards IEC 62208

Packing Units	DCE
Environmental characteristic	Specific hygiene Corrosive
IK degree of protection	IK10 conforming to IEC 62262
IP degree of protection	IP66 conforming to IEC 60529
Product certifications	CAN/CSA 22 UL 508 type A

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	81.99 cm
Package 1 Width	61.49 cm
Package 1 Length	27 cm
Package 1 Weight	22.48 kg
Unit Type of Package 2	PAM
Number of Units in Package 2	12
Package 2 Height	199 cm
Package 2 Width	100 cm
Package 2 Length	120 cm
Package 2 Weight	296.5 kg

# Offer Sustainability

Sustainable offer status	Green Premium product
REACh Regulation	REACh Declaration
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) EU RoHS Declaration
Mercury free	Yes
China RoHS Regulation	China RoHS declaration Product out of China RoHS scope. Substance declaration for your information
RoHS exemption information	Yes
Environmental Disclosure	Product Environmental Profile

### **Contractual warranty**

Warranty 18 months

## Recommended replacement(s)