

# Product data sheet

Specifications



## Limit switch head, Limit switches XC Standard, ZCKD, steel roller lever

ZCKD16

### Main

Range of product	Telemecanique Limit switches XC Standard
Series name	Standard format
Product or component type	Limit switch head
Device short name	ZCKD
Head type	Rotary head
Product compatibility	XCKL XCKM
Associated body	ZCKM7H7 ZCKL5H7 ZCKL5 ZCKM1H7 ZCKLD39H7 ZCKM7H29 ZCKL8H7 ZCKLD35 ZCKMD35H7 ZCKLD37 ZCKMD39H29 ZCKLD35H7 ZCKMD37H29 ZCKL1H7 ZCKM5H7 ZCKMD35 ZCKM9 ZCKL7H7 ZCKM5H29 ZCKL6H7 ZCKM9H29 ZCKM6H7 ZCKMD37 ZCKMD31H7 ZCKMD31H29 ZCKL6 ZCKM6 ZCKLD31 ZCKL8 ZCKM7 ZCKMD39H7 ZCKMD35H29 ZCKLD37H7 ZCKL1 ZCKLD31H7 ZCKM6H29 ZCKMD39 ZCKM8H7 ZCKM1 ZCKMD31 ZCKM8 ZCKL7 ZCKMD37H7 ZCKM8H29 ZCKM5 ZCKLD39 ZCKM1H29

<b>Movement of operating head</b>	Rotary
<b>Type of operator</b>	Roller lever spring return metal
<b>Type of approach</b>	Lateral approach, 2 directions

## Complementary

<b>Switch actuation</b>	By 30° cam
<b>Positive opening</b>	With
<b>Head material</b>	Metal

## Environment

<b>Ambient air temperature for operation</b>	-25...70 °C
<b>Ambient air temperature for storage</b>	-40...70 °C
<b>Environmental characteristic</b>	Standard environment

## Packing Units

<b>Unit Type of Package 1</b>	PCE
<b>Number of Units in Package 1</b>	1
<b>Package 1 Height</b>	3.6 cm
<b>Package 1 Width</b>	6.2 cm
<b>Package 1 Length</b>	7.6 cm
<b>Package 1 Weight</b>	98 g
<b>Unit Type of Package 2</b>	P06
<b>Number of Units in Package 2</b>	896
<b>Package 2 Height</b>	77 cm
<b>Package 2 Width</b>	60 cm
<b>Package 2 Length</b>	80 cm
<b>Package 2 Weight</b>	105.3 kg
<b>Unit Type of Package 3</b>	S01
<b>Number of Units in Package 3</b>	28
<b>Package 3 Height</b>	15 cm
<b>Package 3 Width</b>	15 cm
<b>Package 3 Length</b>	40 cm
<b>Package 3 Weight</b>	3.085 kg

## Offer Sustainability

<b>Sustainable offer status</b>	Green Premium product
<b>REACH Regulation</b>	<a href="#">REACH Declaration</a>
<b>EU RoHS Directive</b>	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
<b>Mercury free</b>	Yes
<b>RoHS exemption information</b>	<a href="#">Yes</a>
<b>Environmental Disclosure</b>	<a href="#">Product Environmental Profile</a>
<b>California proposition 65</b>	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known

## Contractual warranty

---

Warranty 18 months

## Recommended replacement(s)