


# XUSZMD106

Telemecanique Safety light curtains XUSL,  
Mirrors for light curtains with fastening systems  
1230 mm, Hp = 1060 mm



## Main

Range of Product	Telemecanique Safety light curtains XUSL
Accessory / separate part category	Adaptation accessories
Accessory / Separate Part Type	90° mirror adaptor
Product Compatibility	XUSL.E...16 with 4 beams
Accessory / separate part destination	Safety light curtain type 4 Safety light curtain type 2
Material	Glass
Mirror height	48.43 in (1230 mm)
Height protected	41.73 in (1060 mm)

## Complementary

Sensing distance reduction coefficient	0.85 Sn
Net Weight	8.38 lb(US) (3.8 kg)

## Ordering and shipping details

Category	22455-LIGHT CURTAINS - XUSL
Discount Schedule	DS2
GTIN	3389119618816
Nbr. of units in pkg.	1
Package weight(Lbs)	13.85 lb(US) (6.281 kg)
Returnability	No
Country of origin	IT

## Packing Units

Unit Type of Package 1	PCE
Package 1 Height	5.71 in (14.5 cm)
Package 1 width	7.87 in (20 cm)
Package 1 Length	51.38 in (130.5 cm)

## Offer Sustainability

Sustainable offer status	Green Premium product
California proposition 65	WARNING: This product can expose you to chemicals including: Diisononyl phthalate (DINP), which is known to the State of California to cause cancer, and Di-isodecyl phthalate (DIDP), which is known to the State of California to cause birth defects or other reproductive harm. For more information go to <a href="http://www.P65Warnings.ca.gov">www.P65Warnings.ca.gov</a>
RECh Regulation	<a href="#">RECh Declaration</a>
RECh free of SVHC	Yes
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope) <a href="#">EU RoHS Declaration</a>
Toxic heavy metal free	Yes
Mercury free	Yes
RoHS exemption information	<a href="#">Yes</a>

---

Environmental Disclosure

 [Product Environmental Profile](#)

---

Circularity Profile

 [End Of Life Information](#)

---

## Dimensions

