

# BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/us/products/2320458>

Please be informed that the data shown in this PDF document is generated from our online catalog. Please find the complete data in the user documentation. Our general terms of use for downloads are valid.

Used for mounting batteries that cannot be mounted on DIN rails.



## Product description

Mounting set, consisting of battery frame for universal wall mounting or surface mounting, 2 x cross dowel (M6) with collar, 2 x screw (M6 x 140), 2 x washer (6.4 x 12), 1 x battery retaining bracket with fixing bracket, and 4 x screw (M3 x 14).

## Commercial data

Item number	2320458
Packing unit	1 pc
Minimum order quantity	1 pc
Sales key	CM24
Product key	CMUEZ9
Catalog page	Page 339 (C-4-2019)
GTIN	4046356933131
Weight per piece (including packing)	5,500 g
Weight per piece (excluding packing)	5,410 g
Customs tariff number	73269098
Country of origin	DE

# BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/us/products/2320458>

## Technical data

### Product properties

Product type	Mounting material
Product family	Mounting material

### Dimensions

#### Item dimensions

Width	464 mm
Height	201 mm
Depth	205 mm

### Material specifications

Housing material	Steel, powder-coated
------------------	----------------------

### Environmental and real-life conditions

#### Ambient conditions

Shock (operation)	15g, 11 ms, half sine (IEC 60068-2-27)
Vibration (operation)	0,7g (DNV-GL / IEC 60068-2-6)

### Approvals

#### DNV GL data

Vibration	Class A
-----------	---------

# BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/us/products/2320458>

## Approvals

To download certificates, visit the product detail page: <https://www.phoenixcontact.com/us/products/2320458>



**LR**

Approval ID: LR22136091TA



**BV**

Approval ID: 41516/B0 BV

**ABS**

Approval ID: 22-2244289-PDA

**DNV**

Approval ID: TAA0000265

**ABS**

Approval ID: 22-2244289-PDA



**BV**

Approval ID: 41516/B0 BV



**LR**

Approval ID: LR22136091TA

**DNV**

Approval ID: TAA0000265

# BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/us/products/2320458>

## Classifications

### ECLASS

ECLASS-11.0	27059090
ECLASS-12.0	27059090
ECLASS-13.0	27059090

### ETIM

ETIM 8.0	EC002839
----------	----------

### UNSPSC

UNSPSC 21.0	26111700
-------------	----------

# BATTERY MOUNTING CASE - Mounting set for securing the batteries



2320458

<https://www.phoenixcontact.com/us/products/2320458>

## Accessories

### UPS-BAT/VRLA-WTR/24DC/26AH - Energy storage

2320429

<https://www.phoenixcontact.com/us/products/2320429>

Energy storage device, lead AGM, VRLA technology, 24 V DC, 26 Ah, tool-free battery replacement, automatic detection, and communication with QUINT UPS-IQ



---

### UPS-BAT/VRLA/24DC/38AH - Energy storage

2320335

<https://www.phoenixcontact.com/us/products/2320335>

Energy storage device, lead AGM, VRLA technology, 24 V DC, 38 Ah, automatic detection, and communication with QUINT UPS-IQ



---

Phoenix Contact 2023 © - all rights reserved  
<https://www.phoenixcontact.com>

Phoenix Contact USA  
586 Fulling Mill Road  
Middletown, PA 17057, United States  
(+717) 944-1300  
[info@phoenixcon.com](mailto:info@phoenixcon.com)