

**Data sheet | Item number: 790-113**

Carrier with grounding foot; 90° to carrier rail; 45 mm long; Cu 10 mm x 3 mm; suitable for 790 Series shield clamping saddles; gray

[www.wago.com/790-113](http://www.wago.com/790-113)



**Data**

**Technical data**

Main product function

Shield termination

---

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Material Data

Color	gray
Fire load	0.113 MJ
Weight	25.5 g

## Commercial data

Product Group	2 (Terminal Block Accessories)
eCl@ss 10.0	27-14-11-92
eCl@ss 9.0	27-14-11-92
ETIM 8.0	EC002848
ETIM 7.0	EC002848
PU (SPU)	25 pcs
Packaging type	box
Country of origin	DE
GTIN	4045454230890
Customs tariff number	85369095000

## Environmental Product Compliance

CAS-No.	7439-92-1
REACH Candidate List Substance	Lead
RoHS Compliance Status	Compliant,With Exemption
RoHS Exemption	7(a) 7(c)-I 7(c)-II
SCIP notification number (Austria)	77aeef6c-eff0-4a24-8011-8fb562215e47
SCIP notification number (Belgium)	9bacb55f-a1b0-4a35-ade5-afa0d7bf8126
SCIP notification number (Bulgaria)	fed0ad30-4244-42b0-910b-64d6fc69e62a
SCIP notification number (Czech Republic)	e16c3bee-b557-42bc-9263-899adc8ff331
SCIP notification number (Denmark)	f3a4bdd2-278c-4141-9b69-74c4034bf967
SCIP notification number (Finland)	9453b37c-19a4-4281-ad0e-ecf4465d43cc
SCIP notification number (France)	6466c4ce-d631-46c5-b3b7-d6be0aa53f2f
SCIP notification number (Germany)	62b21dfd-4024-49fc-a302-1e0791fc51a9
SCIP notification number (Hungary)	4d500649-bf0e-4e22-be4a-51ff2f7f5507
SCIP notification number (Italy)	a757757d-c0bc-4b43-9c2f-aa39adcaad24
SCIP notification number (Netherlands)	f70b3ac7-2012-4adb-83b9-9269aa4f292d
SCIP notification number (Poland)	8ce0acfb-3ff5-41b9-8397-9e6e32d31d61
SCIP notification number (Romania)	1ee40eae-9084-452f-ae9b-3a7f16d7e701

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
 Hansastr. 27  
 32423 Minden  
 Phone: +49571 887-0 | Fax: +49571 887-169  
 Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
 We are always happy to take your call at +49 (571) 887-44222.

## Optional accessories

### Shield termination

#### Shield clamping saddles

<b>Item no.: 790-116</b> Shield clamping saddle; 19 mm wide; diameter of compatible conductor; 7 ... 16 mm	<a href="http://www.wago.com/790-116">www.wago.com/790-116</a>
<b>Item no.: 790-124</b> Shield clamping saddle; 27 mm wide; diameter of compatible conductor; 6 ... 24 mm	<a href="http://www.wago.com/790-124">www.wago.com/790-124</a>
<b>Item no.: 790-108</b> Shield clamping saddle; 11 mm wide; diameter of compatible conductor; 3 ... 8 mm	<a href="http://www.wago.com/790-108">www.wago.com/790-108</a>
<b>Item no.: 790-140</b> Shield clamping saddle; diameter of compatible conductor	<a href="http://www.wago.com/790-140">www.wago.com/790-140</a>

## Downloads

### Documentation

#### Bid Text

790-113 X81 - Datei	2019 年2月19日	xml 2.7 kB	Download
790-113 doc - Datei	2018 年11月28日	doc 24.1 kB	Download

## CAD/CAE-Data

### CAE data

WSCAD Universe 790-113	URL	Download
------------------------	-----	----------

### CAD data

2D/3D Models 790-113	URL	Download
----------------------	-----	----------

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 790-113	URL	Download
--	-----	----------

Subject to changes. Please also observe the further product documentation!

Carrier with grounding foot; 90° to carrier rail; 45 mm long; Cu 10 mm x 3 mm; suitable for 790 Series shield clamping saddles; gray

---

### Installation Notes



Carrier with grounding foot\* (790-113), 45 mm long, busbar 90° to the DIN-rail

\*for all shield clamping saddle sizes

Subject to changes. Please also observe the further product documentation!

---