

## A 16 -12

Order No.: 3200425

The illustration shows version A 1-6 and A 1-10

<http://eshop.phoenixcontact.de/phoenix/treeViewClick.do?UID=3200425>

Ferrule, Length: 12 mm, Color: silver

### Commercial data

|                          |                    |
|--------------------------|--------------------|
| GTIN (EAN)               | 4017918094072      |
| sales group              | B251               |
| Pack                     | 100 pcs.           |
| Customs tariff           | 85369010           |
| Weight/Piece             | 0.00042 KG         |
| Catalog page information | Page 661 (CL-2009) |

### Product notes

WEEE/RoHS-compliant since:  
01/01/2005

<http://www.download.phoenixcontact.com>  
Please note that the data given here has been taken from the online catalog. For comprehensive information and data, please refer to the user documentation. The General Terms and Conditions of Use apply to Internet downloads.

### Technical data

#### General

|  |         |
|--|---------|
| Length (b)                                   | 12 mm   |
| Color  | silver  |
| Material                                     | E-CU    |
| Sleeve length                                | 10.5 mm |
| Inner dimension of the insulating collar (d) | 7.5 mm  |

|                       |        |
|-----------------------|--------|
| Ferrule diameter      | 5.8 mm |
| Sleeve wall thickness | 0.2 mm |

### Certificates / Approvals



Certification

CSA, UCSA

**Address**

PHOENIX CONTACT Inc., USA  
586 Fulling Mill Road  
Middletown, PA 17057, USA  
Phone (800) 888-7388  
Fax (717) 944-1625  
<http://www.phoenixcon.com>



© 2010 Phoenix Contact  
Technical modifications reserved;