





| REVISIONS | | | | |
|-----------|-----|--------------------------------|-----------|-------|
| P. | LTN | DESCRIPTION | DATE | APVD |
| 7 | | ADDED NEW DASHNUMBER -3 AND 34 | 22JUL2009 | HL SY |
| 8 | | REVISED DRAWING | 23JUL2009 | HL SY |
| A | | REV PER ECR-09-016443 | 23JUL2009 | HL SY |
| B | | REV PER ECO-16-009184 | 21SEP2016 | WY SZ |





- 1 MATERIAL: HOUSING & SPACER - THERMOPLASTIC; COLOR - BLACK
 SIGNAL CONTACT - PHOSPHORUS BRONZE
 POWER CONTACT - COPPER ALLOY
 THREADED INSERT - ZINC
- 2 PLATING: SIGNAL CONTACT - 1.27um MIN NICKEL OVER ALL
 1 um MIN MATTE TIN ON CONTACT AREA
 0.76 um MIN GOLD ON INTERFACE AREA
 POWER CONTACT - 1.27um MIN NICKEL OVER ALL
 1 um MIN MATTE TIN ON CONTACT AREA
 0.76 um MIN GOLD ON INTERFACE AREA
 THREADED INSERT - CLEAR CHROMATE
- 3 PCB - ALL HOLE DIAMETERS FINISHED HOLE SIZES
- 4 DATUMS AND BASIC DIMENSIONS ESTABLISHED BY CUSTOMER
- 5 DIMENSION APPLIES TO CENTERLINE OF THRU HOLE
- 6 OPTIONAL - NEEDED FOR USE WITH BOARD LOCKS
- 7 FOR 6469602-3 AND -4 THE RECOMMENDED TORQUE FOR THE STANDOFF NUT IS 1.02 N-m (9.00 in-lbs)MAX
- 8 FOR 6469602-3 AND -4 PLEASE REFER TO SHEET 2.
- 9 FOR 6469602-1 AND -2 THE DIMENSION D IS 3.5 mm.
 FOR 6469602-3 AND -4 THE DIMENSION D IS 4.5 mm.



| | | |
|----------|-------------|-----------|
| OBSOLETE | 6.86 | 6469602-2 |
| OBSOLETE | 3.43 | 6469602-1 |
| DIM M | PART NUMBER | |

| | | | |
|--|--|----------------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN S. J. MAGARO 31JAN2006 | TE Connectivity NAME DUAC PL - II, HEADER ASSEMBLY |
| DIMENSIONS: | | CHK C. RITIER 31JAN2006 | |
| mm | TOLERANCES UNLESS OTHERWISE SPECIFIED: | APVD | PRODUCT SPEC |
| 0 PLC | ± | | APPLICATION SPEC |
| 1 PLC | ± | | SIZE |
| 2 PLC | ± | | CAGE CODE |
| 3 PLC | ± | | DRAWING NO |
| 4 PLC | ± | | RESTRICTED TO |
| ANGLES | ± | | A100779C=6469602 |
| MATERIAL | FINISH | WEIGHT | SCALE 5:1 SHEET 1 OF 3 REV B |
| | | CUSTOMER DRAWING | |

| REVISIONS | | | | |
|-----------|-----|-------------|------|------|
| P. | LTH | DESCRIPTION | DATE | APVD |
| - | - | SEE SHEET 1 | - | - |
| | | | | |
| | | | | |




6469602-3 AND 6469602-4 ⁸
 UNSPECIFIED DIMENSIONS PLEASE REFER TO SHEET 1.


| | | |
|----------|------|-------------|
| OBSOLETE | 6.06 | 6469602-4 |
| | 3.43 | 6469602-3 |
| DIM M | | PART NUMBER |

| | | | |
|--|---|---|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN S.J. MAGARO 31JAN2006 CHK C. RITIER 31JAN2006 APVD - | STE TE Connectivity NAME DUAC PL - 11, HEADER ASSEMBLY PRODUCT SPEC - APPLICATION SPEC - WEIGHT - CUSTOMER DRAWING |
| DIMENSIONS: mm | TOLERANCES UNLESS OTHERWISE SPECIFIED: 0 PLC ± 1 PLC ± 2 PLC ± 3 PLC ± 4 PLC ± ANGLES ± FINISH - | SIZE CAGE CODE DRAWING NO A100779C=6469602 SCALE 5:1 SHEET 2 OF 3 REV B | RESTRICTED TO |

| REVISIONS | | | | |
|-----------|------|-------------|------|-------|
| P. | LTN. | DESCRIPTION | DATE | APVD. |
| - | - | SEE SHEET 1 | - | - |
| | | | | |
| | | | | |



PCB SHOWN FROM COMPONENT SIDE OF BOARD
SCALE 5:1



PANEL CUT-OUT
SCALE 5:1

| | | | |
|--|----------|----------------------------|--|
| THIS DRAWING IS A CONTROLLED DOCUMENT. | | DWN S. J. MAGARO 31JAN2006 | TE Connectivity |
| DIMENSIONS: mm | | CHK C. RITIER 31JAN2006 | |
| TOLERANCES UNLESS OTHERWISE SPECIFIED: | | APVD - | NAME DUAC PL - 11, HEADER ASSEMBLY |
| 0 PLC ± | 1 PLC ± | PRODUCT SPEC - | SIZE - |
| 2 PLC ± | 3 PLC ± | APPLICATION SPEC - | RESTRICTED TO - |
| 4 PLC ± | ANGLES ± | WEIGHT - | SIZE CAGE CODE DRAWING NO A100779C=6469602 |
| MATERIAL - | FINISH - | CUSTOMER DRAWING | SCALE 5:1 SHEET 3 OF 3 REV B |