


Data sheet | Item number: 832-542

center locking with strain relief; for female and male connectors; 20.2 mm wide; 2 parts; Pin spacing 10.16 mm; 2-pole; orange

www.wago.com/832-542



Data

Connection data

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.



Connection 1

| | |
|-------------|---|
| Pole number | 2 |
|-------------|---|

Physical data

| | |
|--------|-------------------------|
| Width | 20.2 mm / 0.795 inches |
| Height | 8.94 mm / 0.352 inches |
| Depth | 81.15 mm / 3.195 inches |

Mechanical Data

| | |
|---------------|---|
| Mounting type | Snap-in mounting |
| Suitable | for standard male and female connectors |

Plug-in connection

| | |
|-------------------------------|----------------------|
| Locking of plug-in connection | Center locking lever |
|-------------------------------|----------------------|

Material Data

| | |
|-------------------------------|--|
| Note (material data) | Information on material specifications can be found here |
| Color | orange |
| Material group | I |
| Insulation material | Polybutylene terephthalate (PBT) |
| Flammability class per UL94 | V0 |
| Fire load | 0.101 MJ |
| Weight of insulation material | 3.35 g |
| Weight | 3.4 g |

Environmental requirements

| | |
|------------------------|----------------|
| Processing temperature | -35 ... +60 °C |
|------------------------|----------------|

Commercial data

| | |
|--------------|-------------|
| ETIM 8.0 | EC002848 |
| ETIM 7.0 | EC002848 |
| Recupel Type | |
| PU (SPU) | 60 (10) pcs |

Subject to changes. Please also observe the further product documentation!



| | |
|-----------------------|---------------|
| Packaging type | box |
| Country of origin | DE |
| GTIN | 4055143961073 |
| Customs tariff number | 39269097900 |

Environmental Product Compliance

| | |
|------------------------|-------------------------|
| RoHS Compliance Status | Compliant, No Exemption |
|------------------------|-------------------------|

Downloads

Documentation

Additional Information

| | | | |
|--|------------|---------------|----------|
| | 2019 年4月3日 | pdf 2.0 MB | Download |
|--|------------|---------------|----------|


Environmental Product Compliance

Compliance Search


| | | |
|--|-----|----------|
| Environmental Product Compliance 832-542 center locking with strain relief; for female and male connectors; 20.2 mm wide; 2 parts; Pin spacing 10.16 mm; 2-pole; orange | URL | Download |
|--|-----|----------|

Installation Notes

Installation



Locking lever; for field assembly



Locking lever; for field assembly

Subject to changes. Please also observe the further product documentation!

Data sheet | Item number: 832-542

www.wago.com/832-542



Locking lever; for field assembly

Product family

MCS MAXI 16

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG
Hansastr. 27
32423 Minden
Phone: +49571 887-0 | Fax: +49571 887-169
Email: info.de@wago.com | Web: www.wago.com

Do you have any questions about our products?
We are always happy to take your call at +49 (571) 887-44222.