# MSP430F677x Ultra-Low Power Polyphase Energy Meter System on Chip

# 🔱 Texas Instruments

### Key device features and benefits

Feature	Benefit
Seven 24-bit sigma delta analog-to-digital converters	Class-leading accuracy across a full 2000:1 input current range throughout -40°C to +85°C
Up to 512kB Flash + 32kB SRAM	Dynamic pricing tables for time of use, large buffer for interval data, DLMS/COSEM for meter data formatting, and communication stacks for both wired and wireless protocols
Up to 4 UART, 6 SPI, 2 I <sup>2</sup> C ports	Interface to communications devices to develop smart meters
Supports multiple LCD format up to 320 segments thanks to eight MUX	Can display Asian and custom characters for global deployment
Energy libraries in software	Performs all of the polyphase meter calculations for energy and power that are required for ANSI/IEC qualified meters and provides an easy starting point for customers developing utility meter products



The Texas Instruments MSP430F6779 is a highly integrated, high accuracy, ultra-low power metrology System on Chip (SoC) designed for smart polyphase electric metering applications.

Optimized for single-phase measurement with anti-tamper, the MSP430F6779 supports up to three independent 24-bit sigma-delta ( $\Sigma\Delta$ ) Analog-to-Digital Converters (ADC) and achieves less than 0.1% error in energy accuracy over a wide dynamic range of 2000:1. In addition, the unique combination of six additional synchronized channels ADC10 give the user the flexibility to develop the lowest cost 2-phase or 3-phase E-meters.

A comprehensive development tool set including hardware reference design and energy libraries in software enables quick development, time to market and certification.

### **Energy library features**

- Polyphase energy measurement with support for anti-tamper
- Class 0.1% accuracy over a 2000:1 dynamic range
- · Calibration and key parameters including
  - RMS current and voltage
  - Active, reactive and apparent power
  - Active, reactive and apparent energies
  - Independent pulse output for active and reactive energies
  - Power factor
  - Software phase compensation
  - Frequency
  - Temperature
  - Tamper detection



📥 EVM430-F6779 EVM

# **EVM key features**

 Supports shunts/current transformers for current sensors

- Less than 0.1% error in accuracy for 2000:1 dynamic range
- Flexible and isolated sources for MSP430F6779
- 320 segment LCD display
- 32kHz RTC support
- Two LEDs and two headers for active energy and reactive energy pulses
- Support for anti-tamper detection
- PC communication to MSP430F6779 via RS-232
- · Software installed for measuring metering parameters
- PC-based GUI for calibration/results via MSP430F6779
- JTAG connections for simultaneous debug

#### **Relevant documents**

MSP430F6779 datasheet

Find out more about TI's MSP430F677x family by visiting the sites below:

- TI's smart grid solutions: www.ti.com/smartgrid
- MSP430 energy library: www.ti.com/tool/msp430-energylibrary
- Smart Grid E2E<sup>™</sup> community: www.ti.com/smartgrid-blog

# TI Worldwide Technical Support

## Internet

#### **TI Semiconductor Product Information Center Home Page** support.ti.com

#### TI E2E<sup>™</sup> Community Home Page

e2e.ti.com

## **Product Information Centers**

Internet/E-mail

Americas	Phone	+1(512) 434-1560
Brazil	Phone	0800-891-2616
Mexico	Phone	0800-670-7544
	Fax	+1(972) 927-6377

support.ti.com/sc/pic/americas.htm

#### Europe, Middle East, and Africa P

Phone	
Euro	De

European Free Call	00800-ASK-TEXAS (00800 275 83927)
International	+49 (0) 8161 80 2121
Russian Support	+7 (4) 95 98 10 701

Domestic

Domestic

Domestic

International

International

Note: The European Free Call (Toll Free) number is not active in all countries. If you have technical difficulty calling the free call number, please use the international number above.

Fax Internet Direct E-mai

Japan

Phone

Internet/E-mail

Fax

+(49) (0) 8161 80 2045 www.ti.com/asktexas asktexas@ti.com

> 0120-92-3326 +81-3-3344-5317 0120-81-0036 support.ti.com/sc/pic/japan.htm www.tij.co.jp/pic

Asia			
Phone			
Internat	ional	+91-80-41381665	
Domestic		Toll-Free Number	
Note	: Toll-free nu	mbers do not support	
mob	ile and IP pho	ines.	
Aust	ralia	1-800-999-084	
Chin	а	800-820-8682	
Hong	g Kong	800-96-5941	
India	ι	1-800-425-7888	
Indo	nesia	001-803-8861-1006	
Kore	а	080-551-2804	
Mala	iysia	1-800-80-3973	
New	Zealand	0800-446-934	
Phili	ppines	1-800-765-7404	
Sing	apore	800-886-1028	
Taiw	an	0800-006800	
Thai	land	001-800-886-0010	
Fax	+8621-23	3073686	
E-mail	tiasia@ti.c	com or ti-china@ti.com	
Internet	support.ti.	support.ti.com/sc/pic/asia.htm	

Important Notice: The products and services of Texas Instruments Incorporated and its subsidiaries described herein are sold subject to TI's standard terms and conditions of sale. Customers are advised to obtain the most current and complete information about TI products and services before placing orders. TI assumes no liability for applications assistance, customer's applications or product designs, software performance, or infringement of patents. The publication of information regarding any other company's products or services does not constitute TI's approval, warranty or endorsement thereof.

#### B090712

The platform bar, E2E and MSP430 are trademarks of Texas Instruments. All other trademarks are the property of their respective owners.



#### **IMPORTANT NOTICE**

Texas Instruments Incorporated and its subsidiaries (TI) reserve the right to make corrections, enhancements, improvements and other changes to its semiconductor products and services per JESD46, latest issue, and to discontinue any product or service per JESD48, latest issue. Buyers should obtain the latest relevant information before placing orders and should verify that such information is current and complete. All semiconductor products (also referred to herein as "components") are sold subject to TI's terms and conditions of sale supplied at the time of order acknowledgment.

TI warrants performance of its components to the specifications applicable at the time of sale, in accordance with the warranty in TI's terms and conditions of sale of semiconductor products. Testing and other quality control techniques are used to the extent TI deems necessary to support this warranty. Except where mandated by applicable law, testing of all parameters of each component is not necessarily performed.

TI assumes no liability for applications assistance or the design of Buyers' products. Buyers are responsible for their products and applications using TI components. To minimize the risks associated with Buyers' products and applications, Buyers should provide adequate design and operating safeguards.

TI does not warrant or represent that any license, either express or implied, is granted under any patent right, copyright, mask work right, or other intellectual property right relating to any combination, machine, or process in which TI components or services are used. Information published by TI regarding third-party products or services does not constitute a license to use such products or services or a warranty or endorsement thereof. Use of such information may require a license from a third party under the patents or other intellectual property of the third party, or a license from TI under the patents or other intellectual property of TI.

Reproduction of significant portions of TI information in TI data books or data sheets is permissible only if reproduction is without alteration and is accompanied by all associated warranties, conditions, limitations, and notices. TI is not responsible or liable for such altered documentation. Information of third parties may be subject to additional restrictions.

Resale of TI components or services with statements different from or beyond the parameters stated by TI for that component or service voids all express and any implied warranties for the associated TI component or service and is an unfair and deceptive business practice. TI is not responsible or liable for any such statements.

Buyer acknowledges and agrees that it is solely responsible for compliance with all legal, regulatory and safety-related requirements concerning its products, and any use of TI components in its applications, notwithstanding any applications-related information or support that may be provided by TI. Buyer represents and agrees that it has all the necessary expertise to create and implement safeguards which anticipate dangerous consequences of failures, monitor failures and their consequences, lessen the likelihood of failures that might cause harm and take appropriate remedial actions. Buyer will fully indemnify TI and its representatives against any damages arising out of the use of any TI components in safety-critical applications.

In some cases, TI components may be promoted specifically to facilitate safety-related applications. With such components, TI's goal is to help enable customers to design and create their own end-product solutions that meet applicable functional safety standards and requirements. Nonetheless, such components are subject to these terms.

No TI components are authorized for use in FDA Class III (or similar life-critical medical equipment) unless authorized officers of the parties have executed a special agreement specifically governing such use.

Only those TI components which TI has specifically designated as military grade or "enhanced plastic" are designed and intended for use in military/aerospace applications or environments. Buyer acknowledges and agrees that any military or aerospace use of TI components which have *not* been so designated is solely at the Buyer's risk, and that Buyer is solely responsible for compliance with all legal and regulatory requirements in connection with such use.

TI has specifically designated certain components as meeting ISO/TS16949 requirements, mainly for automotive use. In any case of use of non-designated products, TI will not be responsible for any failure to meet ISO/TS16949.

Products		Applications	
Audio	www.ti.com/audio	Automotive and Transportation	www.ti.com/automotive
Amplifiers	amplifier.ti.com	Communications and Telecom	www.ti.com/communications
Data Converters	dataconverter.ti.com	Computers and Peripherals	www.ti.com/computers
DLP® Products	www.dlp.com	Consumer Electronics	www.ti.com/consumer-apps
DSP	dsp.ti.com	Energy and Lighting	www.ti.com/energy
Clocks and Timers	www.ti.com/clocks	Industrial	www.ti.com/industrial
Interface	interface.ti.com	Medical	www.ti.com/medical
Logic	logic.ti.com	Security	www.ti.com/security
Power Mgmt	power.ti.com	Space, Avionics and Defense	www.ti.com/space-avionics-defense
Microcontrollers	microcontroller.ti.com	Video and Imaging	www.ti.com/video
RFID	www.ti-rfid.com		
OMAP Applications Processors	www.ti.com/omap	TI E2E Community	e2e.ti.com
Wireless Connectivity	www.ti.com/wirelessconnectivity		

Mailing Address: Texas Instruments, Post Office Box 655303, Dallas, Texas 75265 Copyright © 2013, Texas Instruments Incorporated