

**Data sheet | Item number: 256-200**

End plate; snap-fit type; 1 mm thick; dark gray

[www.wago.com/256-200](http://www.wago.com/256-200)



**i** Picture differs from the item.

**Color:**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Physical data

Width	1 mm / 0.039 inches
Height	13 mm / 0.512 inches
Depth	15 mm / 0.591 inches

### Mechanical Data

Mounting type	snap-on type
---------------	--------------

### Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	dark gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.005 MJ
Weight	0.2 g

### Commercial data

Product Group	4 (Printed Circuit Connectors)
eCl@ss 10.0	27-44-04-92
eCl@ss 9.0	27-44-04-92
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	2000 (100) pcs
Packaging type	box
Country of origin	CH
GTIN	4017332265492
Customs tariff number	85389099990

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

Subject to changes. Please also observe the further product documentation!



## Required accessories

### End plate

PCB terminal block	
<b>Item no.: 256-753</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/256-753">www.wago.com/256-753</a>
<b>Item no.: 256-753/332-000/999-950</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; Solder pin length 5.5 mm; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/256-753/332-000/999-950">www.wago.com/256-753/332-000/999-950</a>
<b>Item no.: 256-754</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/256-754">www.wago.com/256-754</a>
<b>Item no.: 256-756</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/256-756">www.wago.com/256-756</a>
<b>Item no.: 256-753/999-950</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/256-753/999-950">www.wago.com/256-753/999-950</a>
<b>Item no.: 256-763</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/256-763">www.wago.com/256-763</a>
<b>Item no.: 256-762</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/256-762">www.wago.com/256-762</a>
<b>Item no.: 256-757</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/256-757">www.wago.com/256-757</a>
<b>Item no.: 256-763/332-000/999-950</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; Solder pin length 5.5 mm; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/256-763/332-000/999-950">www.wago.com/256-763/332-000/999-950</a>
<b>Item no.: 256-764</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/256-764">www.wago.com/256-764</a>
<b>Item no.: 256-760</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; red	<a href="http://www.wago.com/256-760">www.wago.com/256-760</a>
<b>Item no.: 256-763/999-950</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-e applications; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/256-763/999-950">www.wago.com/256-763/999-950</a>
<b>Item no.: 256-766</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/256-766">www.wago.com/256-766</a>
<b>Item no.: 256-767</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/256-767">www.wago.com/256-767</a>

Subject to changes. Please also observe the further product documentation!



<b>Item no.: 256-401</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/256-401">www.wago.com/256-401</a>
<b>Item no.: 256-401/332-000</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; Solder pin length 5.5 mm; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/256-401/332-000">www.wago.com/256-401/332-000</a>
<b>Item no.: 256-461</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/256-461">www.wago.com/256-461</a>
<b>Item no.: 256-501</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/256-501">www.wago.com/256-501</a>
<b>Item no.: 256-561</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/256-561">www.wago.com/256-561</a>
<b>Item no.: 256-601</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/256-601">www.wago.com/256-601</a>
<b>Item no.: 256-840</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; red	<a href="http://www.wago.com/256-840">www.wago.com/256-840</a>
<b>Item no.: 256-842</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/256-842">www.wago.com/256-842</a>
<b>Item no.: 256-843</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light gray	<a href="http://www.wago.com/256-843">www.wago.com/256-843</a>
<b>Item no.: 256-846</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/256-846">www.wago.com/256-846</a>
<b>Item no.: 256-844</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; blue	<a href="http://www.wago.com/256-844">www.wago.com/256-844</a>
<b>Item no.: 256-847</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/256-847">www.wago.com/256-847</a>
<b>Item no.: 256-767/332-000</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; Solder pin length 5.5 mm; 2,50 mm <sup>2</sup> ; light green	<a href="http://www.wago.com/256-767/332-000">www.wago.com/256-767/332-000</a>
<b>Item no.: 256-848</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; black	<a href="http://www.wago.com/256-848">www.wago.com/256-848</a>
<b>Item no.: 256-852</b> Stackable PCB terminal block; push-button; 2.5 mm <sup>2</sup> ; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm <sup>2</sup> ; dark gray	<a href="http://www.wago.com/256-852">www.wago.com/256-852</a>
<b>Item no.: 256-850</b>	

Subject to changes. Please also observe the further product documentation!



Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; [www.wago.com/256-850](http://www.wago.com/256-850)  
commoning option; 2,50 mm<sup>2</sup>; red

**Item no.: 256-853**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; [www.wago.com/256-853](http://www.wago.com/256-853)  
commoning option; 2,50 mm<sup>2</sup>; light gray

**Item no.: 256-854**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; suitable for Ex-i [www.wago.com/256-854](http://www.wago.com/256-854)  
applications; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; blue

**Item no.: 256-857**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; [www.wago.com/256-857](http://www.wago.com/256-857)  
commoning option; 2,50 mm<sup>2</sup>; light green

**Item no.: 256-740**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; [www.wago.com/256-740](http://www.wago.com/256-740)  
commoning option; 2,50 mm<sup>2</sup>; red

**Item no.: 256-742/332-000**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; [www.wago.com/256-742](http://www.wago.com/256-742)  
commoning option; Solder pin length 5.5 mm; 2,50 mm<sup>2</sup>; dark gray /332-000

**Item no.: 256-742**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; [www.wago.com/256-742](http://www.wago.com/256-742)  
commoning option; 2,50 mm<sup>2</sup>; dark gray

**Item no.: 256-743/332-000**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; [www.wago.com/256-743](http://www.wago.com/256-743)  
commoning option; Solder pin length 5.5 mm; 2,50 mm<sup>2</sup>; light gray /332-000

**Item no.: 256-743/332-000/999-950**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; suitable for Ex-e [www.wago.com/256-743](http://www.wago.com/256-743)  
applications; CAGE CLAMP®; commoning option; Solder pin length 5.5 mm; 2,50 mm<sup>2</sup>; light gray /332-000/999-950

**Item no.: 256-743/999-950**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; suitable for Ex-e [www.wago.com/256-743](http://www.wago.com/256-743)  
applications; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; light gray /999-950

**Item no.: 256-743**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; [www.wago.com/256-743](http://www.wago.com/256-743)  
commoning option; 2,50 mm<sup>2</sup>; light gray

**Item no.: 256-744**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; [www.wago.com/256-744](http://www.wago.com/256-744)  
commoning option; 2,50 mm<sup>2</sup>; blue

**Item no.: 256-744/332-000**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; [www.wago.com/256-744](http://www.wago.com/256-744)  
commoning option; Solder pin length 5.5 mm; 2,50 mm<sup>2</sup>; blue /332-000

**Item no.: 256-747**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; [www.wago.com/256-747](http://www.wago.com/256-747)  
commoning option; 2,50 mm<sup>2</sup>; light green

**Item no.: 256-745**

Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; [www.wago.com/256-745](http://www.wago.com/256-745)  
commoning option; 2,50 mm<sup>2</sup>; green

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.



<p><b>Item no.: 256-746</b> Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; orange</p>	<p><a href="http://www.wago.com/256-746">www.wago.com/256-746</a></p>
<p><b>Item no.: 256-746/332-000</b> Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; Solder pin length 5.5 mm; 2,50 mm<sup>2</sup>; orange</p>	<p><a href="http://www.wago.com/256-746/332-000">www.wago.com/256-746/332-000</a></p>
<p><b>Item no.: 256-748</b> Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; black</p>	<p><a href="http://www.wago.com/256-748">www.wago.com/256-748</a></p>
<p><b>Item no.: 256-750</b> Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; red</p>	<p><a href="http://www.wago.com/256-750">www.wago.com/256-750</a></p>
<p><b>Item no.: 256-752</b> Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; dark gray</p>	<p><a href="http://www.wago.com/256-752">www.wago.com/256-752</a></p>
<p><b>Item no.: 256-747/332-000</b> Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 5/5.08 mm; 1-pole; CAGE CLAMP®; commoning option; Solder pin length 5.5 mm; 2,50 mm<sup>2</sup>; light green</p>	<p><a href="http://www.wago.com/256-747/332-000">www.wago.com/256-747/332-000</a></p>
<p><b>Item no.: 256-856</b> Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 7.5/7.62 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; orange</p>	<p><a href="http://www.wago.com/256-856">www.wago.com/256-856</a></p>
<p><b>Item no.: 256-661</b> Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; gray</p>	<p><a href="http://www.wago.com/256-661">www.wago.com/256-661</a></p>
<p><b>Item no.: 256-862</b> Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; dark gray</p>	<p><a href="http://www.wago.com/256-862">www.wago.com/256-862</a></p>
<p><b>Item no.: 256-863</b> Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; light gray</p>	<p><a href="http://www.wago.com/256-863">www.wago.com/256-863</a></p>
<p><b>Item no.: 256-864</b> Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; suitable for Ex-i applications; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; blue</p>	<p><a href="http://www.wago.com/256-864">www.wago.com/256-864</a></p>
<p><b>Item no.: 256-860</b> Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; red</p>	<p><a href="http://www.wago.com/256-860">www.wago.com/256-860</a></p>
<p><b>Item no.: 256-866</b> Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; orange</p>	<p><a href="http://www.wago.com/256-866">www.wago.com/256-866</a></p>
<p><b>Item no.: 256-867</b> Stackable PCB terminal block; push-button; 2.5 mm<sup>2</sup>; Pin spacing 10/10.16 mm; 1-pole; CAGE CLAMP®; commoning option; 2,50 mm<sup>2</sup>; light green</p>	<p><a href="http://www.wago.com/256-867">www.wago.com/256-867</a></p>

Subject to changes. Please also observe the further product documentation!



## Downloads

### Documentation

#### Additional Information

2019 年4月3日

pdf  
2.0 MB

[Download](#)

## CAD/CAE-Data

### CAD data

2D/3D Models 256-200

[URL](#)

[Download](#)

### CAE data

EPLAN Data Portal 256-200

[URL](#)

[Download](#)

ZUKEN Portal 256-200

[URL](#)

[Download](#)

## Environmental Product Compliance

### Compliance Search

Environmental Product Compliance 256-200

[URL](#)

[Download](#)

End plate; snap-fit type; 1 mm thick; dark gray

## Installation Notes

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG

Hansastr. 27

32423 Minden

Phone: +49571 887-0 | Fax: +49571 887-169

Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?

We are always happy to take your call at +49 (571) 887-44222.