
281698-4 - ACTIVE

AMPMODU | AMPMODU HE 13/HE 14

TE Internal #: 281698-4 PCB Mount Header, Right Angle, Wire-to-Board, 4 Position, 2.54 mm [.1 in] Centerline, Partially Shrouded, Tin, AMPMODU HE 13 /HE 14

View on TE.com >

Connectors > PCB Connectors > PCB Headers & Receptacles > HE13/HE14 TH Headers, SRRA



Connector System: Wire-to-Board

Number of Positions: 4

Number of Rows: 1

Centerline (Pitch): 2.54 mm [.1 in]

PCB Mount Orientation: Right Angle

All HE13/HE14 TH Headers, SRRA (20)

TE

Features

Product Type Features

Connector System	Wire-to-Board	
Header Type	Partially Shrouded	
Sealable	No	
Connector & Contact Terminates To	Printed Circuit Board	
PCB Connector Assembly Type	PCB Mount Header	
Configuration Features		
Connector Contact Load Condition	Fully Loaded	
Number of Positions	4	
Number of Rows	1	
PCB Mount Orientation	Right Angle	
Electrical Characteristics		
Insulation Resistance	1000 MΩ	

PCB Mount Header, Right Angle, Wire-to-Board, 4 Position, 2.54 mm [.1 in] Centerline, Partially Shrouded, Tin, AMPMODU HE 13/HE 14



Body Features	
Primary Product Color	Blue
Contact Features	
Contact Mating Area Length	7 mm
Mating Square Post Dimension	.64 mm[.025 in]
Contact Mating Area Plating Material Thickness	.8 µm[31 µin]
Contact Shape & Form	Square
Contact Mating Area Plating Material Finish	Matte
Contact Underplating Material	Nickel
PCB Contact Termination Area Plating Material	Tin
Contact Base Material	Phosphor Bronze
Contact Mating Area Plating Material	Tin
Contact Type	Pin
Contact Current Rating (Max)	3 A
Termination Features	
Square Termination Post & Tail Dimension	.63 mm[.025 in]
Termination Post & Tail Length	2.9 mm
Termination Method to Printed Circuit Board	Through Hole - Solder
Mechanical Attachment	
Mating Alignment Type	Polarization
Mating Retention	With
Panel Mount Feature	Without
Connector Mounting Type	Board Mount
Mating Alignment	With
PCB Mount Retention	Without
Housing Features	
Housing Material	High Temperature Thermoplastic
Centerline (Pitch)	2.54 mm[.1 in]
Usage Conditions	
Operating Temperature Range	-40 – 100 °C[-40 – 212 °F]

PCB Mount Header, Right Angle, Wire-to-Board, 4 Position, 2.54 mm [.1 in] Centerline, Partially Shrouded, Tin, AMPMODU HE 13/HE 14



Circuit Application	Signal
ndustry Standards	
Approved Standards	CSA LR7189, UL E28476
UL Flammability Rating	UL 94V-0
Packaging Features	
Packaging Quantity	2000
Packaging Type	Box
EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	Compliant No Restricted Materials Above Threshold
China RoHS 2 Directive MIIT Order No 32, 2016 EU REACH Regulation (EC) No. 1907/2006	

ppm.

Solder Process Capability

Wave solder capable to 265°C

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: https://echa.europa.eu/guidance-documents/guidance-on-reach


Compatible Parts

PCB Mount Header, Right Angle, Wire-to-Board, 4 Position, 2.54 mm [.1 in] Centerline, Partially Shrouded, Tin, AMPMODU HE 13/HE 14






Also in the Series AMPMODU HE 13/HE 14



Customers Also Bought



TE	-ETE		-E TE
TE Part #281739-3	TE Part #281742-4	TE Part #281838-5	TE Part #281698-6
HE13/HE14 TH Headers, DRST	HE13/HE14 TH Headers, DRRA	HOUSING HE13 HE14 COSI 5 P	HE13/HE14 TH Headers, SRRA



Documents

Product Drawings HEADER HE14 RA 4 P

English

CAD Files

Customer View Model ENG_CVM_CVM_281698-4_G.2d_dxf.zip

PCB Mount Header, Right Angle, Wire-to-Board, 4 Position, 2.54 mm [.1 in] Centerline, Partially Shrouded, Tin, AMPMODU HE 13/HE 14



English

3D PDF

3D

Customer View Model

ENG_CVM_CVM_281698-4_G.3d_igs.zip

English

Customer View Model

ENG_CVM_CVM_281698-4_G.3d_stp.zip

English

By downloading the CAD file I accept and agree to the **Terms and Conditions** of use.

Product Specifications Product Specification

French

Product Environmental Compliance MD_281698-4_110620151111_dmtec

English

MD_281698-4_110620151111_dmtec

English