




Terminals & Splices > Ring Terminals & Spade Terminals



Ring & Spade Terminal Type: **Ring Tongue**

Wire Size: **22 – 26 AWG**

Stud Size: **#8, M4**

Stud Diameter: **3.25 mm [.128 in]**

Tongue Thickness: **.36 mm [.014 in]**

Features

Product Type Features

Shape Description	Circular/Oval
Stud Size	#8, M4
Sealable	No
Compatible With Discrete Wire Type	Stranded
Wire Insulation Support Retention Type	Insulation Support

Contact Features

Contact Base Material	Brass
Ring & Spade Terminal Type	Ring Tongue
Barrel Type	Open
Terminal Orientation	Straight
Terminal Plating Material	Tin
Contact Underplating Material	None

Mechanical Attachment

Wire Insulation Support	With
-------------------------	------

Dimensions



	.05 in
Wire Size	22 – 26 AWG
Stud Diameter	3.25 mm [.128 in]
Tongue Thickness	.36 mm [.014 in]
Product Length	10.67 mm [.42 in]
Barrel Inside Diameter	.63 mm, .91 mm [.025 in] [.036 in]
Compatible Insulation Diameter (Max)	1.52 mm [.06 in]
Compatible Insulation Diameter Range	1.27 – 1.52 mm [.05 – .06 in]

Usage Conditions

Insulation Option	Uninsulated
Operating Temperature Range	-40 – 110 °C [-40 – 230 °F]

Operation/Application

Compatible With Wire Base Material	Copper
------------------------------------	--------

Industry Standards

Government Qualified Terminal	No
-------------------------------	----

Packaging Features

Packaging Method	Strip/Reel
------------------	------------

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

EU RoHS Directive 2011/65/EU	Compliant
EU ELV Directive 2000/53/EC	Compliant
China RoHS 2 Directive MIIT Order No 32, 2016	No Restricted Materials Above Threshold
EU REACH Regulation (EC) No. 1907/2006	Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC
Halogen Content	Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free
Solder Process Capability	Not applicable for solder process capability

Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as

EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # 2-2150727-1
OCEAN_2.0_Applicator-E-062F080F



TE Part # 2-2150727-2
OCEAN_2.0_Applicator-E-062F080F



TE Part # 2150727-1
OCEAN_2.0_Applicator-E-062F080F



TE Part # 2150727-2
OCEAN_2.0_Applicator-E-062F080F



TE Part # 7-2150727-1
OCEAN_2.0_Applicator-E-062F080F



TE Part # 7-2150727-2
OCEAN_2.0_Applicator-E-062F080F



TE Part # 7-2150727-7
OCEAN_2.0_SPARE_PART_KIT-062F080F

Customers Also Bought



TE Part #1-292215-8
MINI CT SGL RELAY 18P NAT



TE Part #292254-5
CT RELAY HDR ASSY 5P NAT



TE Part #353293-6
MINI CT MT REC ASSY 6P GRAY



TE Part #292215-5
MINI CT SGL RELAY 5P NAT



TE Part #292215-4
MINI CT SGL RELAY 4P NAT




TE Part #353293-4
MINI CT MT REC ASSY 4P GRAY



TE Part #174843-1
AMP TWIN-LEAF DUAL HSG 38P



TE Part #3-292215-2
MINI CT SGL RELAY 12P BLACK



Documents

Product Drawings

[RING TERMINAL 26-22 AWG 0.140 X .260 BR](#)

Japanese

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_170022-2_J.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_170022-2_J.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_170022-2_J.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.

Product Specifications

[JAPANESE](#)

English

[Application Specification](#)

English

Product Environmental Compliance

[Product Compliance Document](#)

English

[Product Compliance Document](#)

English

Agency Approvals

[Agency Approval Document](#)

English