




MARKETING SALES DRAWING

DIMENSIONS IN INCHES - DO NOT SCALE THIS DRAWING

DIMENSIONS IN METRIC - []

This drawing is the property of
Tusonix, Inc., and may not be
used, reproduced, published or
disclosed to others without ex-
pressed authorization by Tusonix Inc.

Electrical Testing
per Tusonix standard
test plans and Mil-Std-202
Test Methods.



OPERATING INFORMATION

STYLE NO.	2461-000
VALUE	1000 pF
VALUE TOL.	+100 -0%
TEMP. COEF.	X7V
RATING	200VDC +85°C/ 100VDC @ +125°C
OPERATING RANGE	-55°C,+125°C
DWV	600 VDC
I.R. MIN. @ .100 VDC	10 G Ω

NOTES:

1. TUSONIX STANDARD PART NUMBER: 2461-000-X7V0-102P
TUSONIX RoHS COMPLIANT PART NUMBER:
2461-000-X7V0-102P LF
CUSTOMER MUST SPECIFY STANDARD OR RoHS PART
NUMBER WHEN ORDERING.
2. ELECTRODE FINISH: STANDARD PART #: 60/40 SOLDER PLATED.
RoHS PART #: MATTE TIN PLATED.
3. PART MARKING: STANDARD PART: NO MARKING.
RoHS PART: MARKING ON PACKAGING ONLY.

REVISION RECORD				--TOLERANCES-- Unless Otherwise Specified	Title	
	Original Release C.O. 20060330-2-01 0	REVISED RATING, S.M. 08-01-06	ADDED NOTES. S.M. 04-19-06		SHOULDER FEED-THRU	
20060417-4-02 1				DECIMAL ± .015 [0.38]	Drawn S.M. 03-30-06	Scale 6 X
20060728-4-07 2				ANGLES ±	Approved T.C. 03-30-06	
				TUSONIX TUCSON, ARIZONA	A 2461-000-X7V0-102P	