



Cover, Length: 30 mm, Width: 10.7 mm, Colour: Yellow

**RAL:** 1026

#### **Business data**

Article number	<u>2819.0</u>
Article name	AD 1/12/B YE
GTIN (EAN)	4044211055455
Packaging unit	20
Quantity unit	PC
Weight per piece (not including packaging)	0.7 g
Weight per piece (including packaging)	0.71 g
Unit of weight	G
Customs number	85389099
Country of origin	DE
Product description	Cover
Colour	Yellow



Technical data		
Dimensions		
Length	30 mm	
Width	10.7 mm	
Materials		
Material	Polyamide 6.6	
Flammability class UL 94	V-2	
Working temperature, min.	-40 °C	
Working temperature, max.	105 °C	
Environmental Product Compliance		
REACH Conform	yes	
REACH Reference date	2023-01-17	
REACH Candidate Substance Note	No	
RoHS Conform	yes	



Media



#### **Accessories**

#### ##INVERSE##CONTA-CONNECT



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 16 mm², Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1050.2	RK 16 BG	4044211010522	50



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 16 mm<sup>2</sup>, Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1162.2	RK 16/Z BG	4044211023607	50



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 16 mm<sup>2</sup>, Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1492.2	RK 16/IS BG	4044211045234	50



Feed-through terminal, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 16 mm², Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1493.2	RK 16/Z/IS BG	4044211045258	50



Ex feed-through terminal ATEX-certified, Screw connection, Mounting type:Mounting rail TS 35/7.5 and TS 32, Rated cross-section: 16 mm², Width: 12 mm, Colour: Beige

Article number	Article name	GTIN (EAN)	Packaging unit
1431.2	RK 16 Ex BG	4044211044787	50