

Path: <u>Home</u> > <u>Enclosure Index</u> > <u>ROLEC-HAMMOND Aluminum Product Index</u> > R196 aluPLUS Series



click to enlarge

## Key Features:

- Modern, high quality instrument enclosure
- Material Aluminum die-cast: GD SI 12 / DIN 1725
- Shallow lid, deep body
- Captive stainless steel lid screws
- Enclosure can be mounted to wall or shelf after closing the lid
- Integrated 1.7 mm recess in lid for membrane keypads and front panels
- Silicone gasket standard. (-50°C up to +140°C)
- Dark grey plastic clip-on design covers to hide mounting & lid screws (plastic polyoxymethylene) RAL 7016
- Complete with lid captivation devices
- Degree of protection: NEMA 4X, IP66
- Textured polyester powder coat, light grey RAL 7035. (can be supplied unpainted on special order)
- I ink here to photo tables of each part number

|--|

R196-120-000	NEW	NEW	NEW	mm	122	120	82
				inches	4.8	4.7	3.2
R196-161-000	NEW	NEW	NEW	mm	160	160	90
				inches	6.3	6.3	3.5
R196-122-000	NEW	NEW	NEW	mm	220	120	82
				inches	8.7	4.7	3.2
R196-162-000	NEW	NEW	NEW	mm	260	160	90
				inches	10.2	6.3	3.5

## 10

Link here to photo tables of each part number

## Features (by photos):



click to enlarge Snap in design covers hide both lid screws and installation holes



click to enlarge Integrated recesses for membrane keypads.



click to enlarge Enclosure can be installed after closing lid



click to enlarge Standoffs in the enclosure and lid for panels, P.C. boards & components.

Exactly what you are looking for??? Link to our stocking distributors - most have "on-line" pricing, stock

## check and ordering!!!

Our Distributors

Order from your favorite distributor

Home | Products | Distributors | Technical | Contact Us | Other Options

Copyright; © 2011 Hammond Mfg Co Inc URL: <u>http://www.hammondmfg.com</u>