



### Specifications

Base: Weight 80 gms/m<sup>2</sup>  
Thickness: 0.0040" (0.1016mm)  
Resistance:  $1 \times 10^4$  to  $< 1 \times 10^{11}$  ohms per ANSI/ESD STM11.11  
Pink Stripe: Distinguishes dissipative paper from standard non-ESD paper  
Class 10,000 cleanroom compatible

Made in Canada

"It should be understood that any object, item, material or person could be a source of static electricity in the work environment. Removal of unnecessary nonconductors, replacing nonconductive materials with dissipative or conductive materials and grounding all conductors are the principle methods of controlling static electricity in the workplace, regardless of the activity."  
[ESD Handbook ESD TR20.20 section 2.4 Sources of Static Electricity]

Item	Description
<a href="#">16100</a>	8.5" x 11", White, 500 sheets per pack

*Unless otherwise noted, tolerance is  $\pm 10\%$*

Specifications and procedures subject to change without notice.

### Static Dissipative Paper

# DESCO

DESCO WEST: 3651 WALNUT AVE., CHINO, CA 91710 WEB SITE: [Desco.com](http://Desco.com)  
PHONE (909) 627-8178

DESCO EAST: ONE COLGATE WAY, CANTON, MA 02021-1407  
PHONE (781) 821-8370

**DRAWING NUMBER**  
16100

**DATE:**  
February  
2014