


REVISIONS			
REV	DESCRIPTION	DATE	APPROVED
A	ECO #7584	05/07/09	A.D.M.



NOTES:



MATERIALS:

1. CONTACT & SPRING = BERYLLIUM COPPER PER ASTM B196, ALLOY C17300, TEMPER TD04.
2. INSULATOR = VIRGIN WHITE TEFLON PER ASTM D1710, GRADE 1, TYPE I, CLASS "B".
3. ALL OTHER METAL PARTS = BRASS PER ASTM B16, ALLOY C36000, TEMPER H02.

FINISHES:

1. CONTACT = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 1, GRADE C, OVER .00010 TO .00020 STRESS FREE SULFAMATE NICKEL PER QQ-N-290.
2. SPRING = NICKEL PLATE PER QQ-N-290, CLASS 1, GRADE G, EXCEPT .0001 TO .0002 THICK OVER .00005 TO .0001 THICK COPPER PER MIL-C-14550.
3. ALL OTHER METAL PARTS = GOLD PLATE PER MIL-G-45204, TYPE II, CLASS 0, GRADE C, OVER .00010 TO .00020 COPPER STRIKE PER MIL-C-14550.

Property of Radiall Incorporated
 This document cannot be reproduced or
 communicated to a third party without prior
 written permission of RADIALL Incorporated.

UNLESS OTHERWISE SPECIFIED DIMENSIONS ARE IN INCHES TOLERANCES ON	DWN: A.D.M.	DATE 05/07/09	 APPLIED ENGINEERING PRODUCTS 104 John W. Murphy Dr. New Haven, CT 06513
	CHKD: D.N.	DATE 05/07/09	
DECIMAL	ANGLE	APVD: J.M.	
REFERENCE:			SLB STRAIGHT FEMALE PLUG CLAMP TYPE FOR RG-316 & SIMILAR CABLES
ORIGINATOR: D.N. DATE: 05/07/00		MATERIALS & FINISHES: SEE NOTES	SIZE A FSCM NO. 19505 DWG. NO. 3002-1551-003 SCALE 6:1 THIRD ANGLE PROJECTION 
			REV A SHEET 1 OF 1

3002-1551-003