



THIS DRAWING IS UNPUBLISHED.

RELEASED FOR PUBLICATION

© COPYRIGHT - By -

ALL RIGHTS RESERVED.

LOC	DIST	REVISIONS					
		P	LTR	DESCRIPTION	DATE	DWN	APVD
E	-		A1	REVISED PER ECO-11-016594	17AUG11	HMR	DR



- $\triangle 1$ TONGUE MATERIAL THK=0.79[.031].
- 2 WIRE INSUL.DIA. 2.67-3.36[.105-.140], TO SUIT 3.68[.154].
- $\triangle 3$ FROM EDGE OF METAL WIRE BBL TO EDGE OF LIP.
- 4 WIRE RANGE: 22-16 AWG

THIS DRAWING IS A CONTROLLED DOCUMENT.		DWN RAGHAVENDRA 17AUG2011	STE TE Connectivity			
DIMENSIONS: mm [INCHES]		CHK DANIEL ROHDE 17AUG2011				
TOLERANCES UNLESS OTHERWISE SPECIFIED:		APVD DANIEL ROHDE 17AUG2011	NAME			
<p>0 PLC ± -</p> <p>1 PLC ± -</p> <p>2 PLC ± -</p> <p>3 PLC ± 0.30[.013]</p> <p>4 PLC ± -</p> <p>ANGLES ± 1°</p>		PRODUCT SPEC		ASSY TERMINAL BLADE		
		APPLICATION SPEC				
		MATERIAL		SIZE	CAGE CODE	DRAWING NO
		BODY & SLEEVE: Cu PER ASTM B152		A3 00779		C=154708
INSULATION: PVC-RED		FINISH		RESTRICTED TO		
		TIN PER ASTM B545				
		CUSTOMER DRAWING		SCALE 4:1		
				SHEET 1 OF 1		
				REV A1		