

Data sheet | Item number: 2110-1292

End and intermediate plate; 1 mm thick; orange

[www.wago.com/2110-1292](http://www.wago.com/2110-1292)



## Data

### Physical data

Width	1 mm / 0.039 inches
Height	88 mm / 3.465 inches

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



Depth	37.7 mm / 1.484 inches
-------	------------------------

## Mechanical Data

Mounting type	snap-on type
---------------	--------------

## Material Data

Note (material data)	Information on material specifications can be found here
----------------------	--

Color	orange
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Weight	3.2 g

## Commercial data

ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4055143867672
Customs tariff number	85389099990

## Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

## Required accessories

### End plate

Through terminal block
------------------------

**Item no.: 2110-1201**

2-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 10 mm<sup>2</sup>; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 10,00 mm<sup>2</sup>; gray [www.wago.com/2110-1201](http://www.wago.com/2110-1201)

**Item no.: 2110-1204**

2-conductor through terminal block; with lever and Push-in CAGE CLAMP®; 10 mm<sup>2</sup>; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 10,00 mm<sup>2</sup>; blue [www.wago.com/2110-1204](http://www.wago.com/2110-1204)

**Item no.: 2110-5201**

2-conductor through terminal block; with lever and push-button; 10 mm<sup>2</sup>; with test port; side and [www.wago.com/2110-5201](http://www.wago.com/2110-5201)

Subject to changes. Please also observe the further product documentation!



center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 10,00 mm²; gray

**Item no.: 2110-5204**

2-conductor through terminal block; with lever and push-button; 10 mm²; with test port; suitable for Ex i applications; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 10,00 mm²; blue

[www.wago.com/2110-5204](http://www.wago.com/2110-5204)

Ground terminal block

**Item no.: 2110-1207**

2-conductor ground terminal block; with lever and Push-in CAGE CLAMP®; 10 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 10,00 mm²; green-yellow

[www.wago.com/2110-1207](http://www.wago.com/2110-1207)

**Item no.: 2110-5207**

2-conductor ground terminal block; with lever and push-button; 10 mm²; with test port; side and center marking; for DIN-rail 35 x 15 and 35 x 7.5; Push-in CAGE CLAMP®; 10,00 mm²; green-yellow

[www.wago.com/2110-5207](http://www.wago.com/2110-5207)

**Downloads**

**Documentation**

**Additional Information**

pdf  
2.3 MB      Download

**CAD/CAE-Data**

**CAD data**

2D/3D Models 2110-1292      URL      Download

**CAE data**

EPLAN Data Portal 2110-1292      URL      Download

ZUKEN Portal 2110-1292      URL      Download

**Environmental Product Compliance**

**Compliance Search**

Environmental Product Compliance 2110-1292      URL      Download

End and intermediate plate; 1 mm thick; orange

**Installation Notes**

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Product family

### TOPJOB® S

TOPJOB® S: In various industrial applications and modern building installations, WAGO's wide and versatile range of rail-mount terminal blocks provides more than just reliable electrical connections.

[Show all products from the family](#)

Subject to changes. Please also observe the further product documentation!

---

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.