






1 X 1



1 X 2



1 X 4



NOTES:

- MATERIALS:
CONNECTOR HOUSING: HIGH TEMPERATURE THERMOPLASTIC
GLASS FILLED, UL 94V-0
TERMINALS: COPPER ALLOY
- FINISHES:
CONTACT AREA: 0.76µm MIN. GOLD OVER 3.81µm MIN. NICKEL
TAIL AREA (LEAD FREE): 0.76µm-1.52µm TIN OVER 1.27µm MIN. NICKEL
- PRODUCT SPECIFICATION: PS-76867-001
- PACKAGING SPECIFICATION: PK-76867-001
- MATES WITH: MOLEX CABLE SERIES 100171, 100189, 100190 & 100191
- MOUNTING HARDWARE NOT SUPPLIED, REFER TO APPLICATION SPECIFICATION AS-76867-001
- PLUG MODULE PCB LAYOUT REFER TO SD-76866-9900








CONGIFURATION	MATERIAL NO.
1 X 1	768671011
1 X 2	768671012
1 X 4	768671013

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS		SCALE		CURRENT REV DESC: MIGRATED TO NX									
mm		2:1											
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 173887				IPASS PLUS HD 12G INTERNAL					
				DRWN: ABABU01 2018/03/08									
4 PLACES ±				CHK'D: TMCLELLAND 2018/03/21				PRODUCT CUSTOMER DRAWING					
3 PLACES ±				APPR: TMCLELLAND 2018/03/21									
2 PLACES ± 0.13				INITIAL REVISION:				DOCUMENT NUMBER SD-76867-1000					
1 PLACE ± 0.25				DRWN: KLANG 2011/10/10									
0 PLACES ±				APPR: TMCLELL 2012/08/29				DOC TYPE DOC PART REVISION PSD 001 B2					
ANGULAR TOL ± 0.5°				THIRD ANGLE PROJECTION									
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	
				C-SIZE		76867		SEE CHART		GENERAL MARKET		1 OF 10	

DOCUMENT STATUS	P1	RELEASE DATE	2018/03/21	13:32:11
-----------------	----	--------------	------------	----------








1 X 1 ASSEMBLY



MEXICO/USA	DDDY	MX 1-4
CHINA	MSHDDDY	MSH B1-B4
MANUFACTURING LOCATION	DATE CODE	LATCH FRAME CAVITY ID

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: MIGRATED TO NX					
mm		4:1		molex IPASS PLUS HD 12G INTERNAL PRODUCT CUSTOMER DRAWING					
GENERAL TOLERANCES (UNLESS SPECIFIED)									
	MM	INCH							
4 PLACES	±								
3 PLACES	±								
2 PLACES	± 0.13			EC NO: 173887 DRWN: ABABU01 2018/03/08 CHK'D: TMCLELLAND 2018/03/21 APPR: TMCLELLAND 2018/03/21					
1 PLACE	± 0.25			INITIAL REVISION: DRWN: KLANG 2011/10/10 APPR: TMCLELL 2012/08/29					
0 PLACES	±			DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING SERIES	
				C-SIZE		76867		DOCUMENT NUMBER SD-76867-1000	
				SEE CHART		GENERAL MARKET		DOC TYPE DOC PART REVISION PSD 001 B2	
								MATERIAL NUMBER CUSTOMER SHEET NUMBER SEE CHART GENERAL MARKET 2 OF 10	

1 X 2 ASSEMBLY




MEXICO/USA	DDDY	MX 1-4
CHINA	MSHDDDY	MSH1-4
MANUFACTURING LOCATION	DATE CODE	LATCH FRAME CAVITY ID







THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV / DESC: MIGRATED TO NX					
mm		4:1		molex IPASS PLUS HD 12G INTERNAL PRODUCT CUSTOMER DRAWING					
GENERAL TOLERANCES (UNLESS SPECIFIED)									
	MM	INCH							
4 PLACES	±								
3 PLACES	±								
2 PLACES	± 0.13			EC NO: 173887		2018/03/08		DOCUMENT NUMBER	
1 PLACE	± 0.25			DRWN: ABABU01		2018/03/21		DOC TYPE DOC PART REVISION	
0 PLACES	±			CHK'D: TMCLELLAND		2018/03/21		SD-76867-1000	
ANGULAR TOL ± 0.5°				APPR: TMCLELLAND		2018/03/21		PSD 001 B2	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER CUSTOMER SHEET NUMBER	
		C-SIZE		76867		SEE CHART		GENERAL MARKET 3 OF 10	

DOCUMENT STATUS	P1	RELEASE DATE	2018/03/21	13:32:11
-----------------	----	--------------	------------	----------

1 X 4 ASSEMBLY



JULIAN DATE CODE
(SEE CHART)





MEXICO/USA	DDDY	MX 1-4
CHINA	MSHDDDY	MSH1-4
MANUFACTURING LOCATION	DATE CODE	LATCH FRAME CAVITY ID

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION

DIMENSION UNITS	SCALE	CURRENT REV/DESC: MIGRATED TO NX				
mm	3:1	 IPASS PLUS HD 12G INTERNAL PRODUCT CUSTOMER DRAWING				
GENERAL TOLERANCES (UNLESS SPECIFIED)					EC NO: 173887	2018/03/08
4 PLACES	±				DRWN: ABABU01	2018/03/21
3 PLACES	±				CHK'D: TMCLELLAND	2018/03/21
2 PLACES	± 0.13				APPR: TMCLELLAND	2018/03/21
1 PLACE	± 0.25	INITIAL REVISION:				
0 PLACES	±	DRWN: KLANG	2011/10/10			
ANGULAR TOL	± 0.5°	APPR: TMCLELL	2012/08/29			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS	THIRD ANGLE PROJECTION	DRAWING	SERIES	DOCUMENT NUMBER		
		C-SIZE	76867	SD-76867-1000		
DOCUMENT STATUS	P1	RELEASE DATE	2018/03/21 13:32:11	DOC TYPE		
				PSD		
				DOC PART		
				001		
				REVISION		
				B2		
				MATERIAL NUMBER		
				SEE CHART		
				CUSTOMER		
				GENERAL MARKET		
				SHEET NUMBER		
				4 OF 10		

DOCUMENT STATUS	P1	RELEASE DATE	2018/03/21 13:32:11
-----------------	----	--------------	---------------------

1 X 1 RECOMMENDED FOOTPRINT






NOTES:

1. RECOMMENDED DRILL AND ANNULAR RING SIZE FOR A 0.37 ϕ FINISHED PTH - REFER TO APPLICATION SPECIFICATION AS-76867-0001
2. MINIMUM RECOMMENDED SPACING: 16.00mm
3. MINIMUM PCB THICKNESS: 1.57mm
4. CONNECTOR KEEP OUT AREA

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION												
DIMENSION UNITS		SCALE		CURRENT REV DESC: MIGRATED TO NX						molex		
mm		4:1										
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 173887						IPASS PLUS HD 12G INTERNAL		
		MM	INCH	DRWN: ABABU01		2018/03/08						
4 PLACES		±	±	CHK'D: TMCLELLAND		2018/03/21						
3 PLACES		±	±	APPR: TMCLELLAND		2018/03/21						
2 PLACES		±	0.13									
1 PLACE		±	0.25									
0 PLACES		±	±									
ANGULAR TOL		± 0.5 °		INITIAL REVISION:						DOCUMENT NUMBER		
				DRWN: KLANG		2011/10/10		SD-76867-1000		DOC TYPE	DOC PART	REVISION
				APPR: TMCLELL		2012/08/29				PSD	001	B2
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER		CUSTOMER		SHEET NUMBER
				C-SIZE		76867		SEE CHART		GENERAL MARKET		5 OF 10

DOCUMENT STATUS	P1	RELEASE DATE	2018/03/21	13:32:11
-----------------	----	--------------	------------	----------




1 X 2 RECOMMENDED FOOTPRINT



- NOTES:
1. RECOMMENDED DRILL AND ANNULAR RING SIZE FOR A 0.37ϕ FINISHED PTH - REFER TO APPLICATION SPECIFICATION AS-76867-001
 2. MINIMUM RECOMMENDED SPACING: 28.00mm
 3. MINIMUM PCB THICKNESS: 1.57mm
 4. CONNECTOR KEEP OUT AREA

THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION																																																																																																													
DIMENSION UNITS		SCALE		CURRENT REV DESC: MIGRATED TO NX																																																																																																									
mm		4:1		<table border="0"> <tr> <td colspan="2">GENERAL TOLERANCES (UNLESS SPECIFIED)</td> <td colspan="2">EC NO: 173887</td> <td colspan="2" rowspan="5"> <table border="0"> <tr> <td colspan="2" rowspan="5"> </td> <td colspan="2" rowspan="5">IPASS PLUS HD 12G INTERNAL</td> </tr> <tr> <td colspan="2">PRODUCT CUSTOMER DRAWING</td> </tr> <tr> <td colspan="2">DOCUMENT NUMBER</td> <td>DOC TYPE</td> <td>DOC PART</td> <td>REVISION</td> </tr> <tr> <td colspan="2">SD-76867-1000</td> <td>PSD</td> <td>001</td> <td>B2</td> </tr> <tr> <td colspan="2">MATERIAL NUMBER</td> <td colspan="2">CUSTOMER</td> <td>SHEET NUMBER</td> </tr> <tr> <td colspan="2">SEE CHART</td> <td colspan="2">GENERAL MARKET</td> <td>6 OF 10</td> </tr> </table> </td> </tr> <tr> <td>4 PLACES</td> <td>±</td> <td></td> <td>±</td> <td colspan="2">DRWN: ABABU01</td> <td colspan="2">2018/03/08</td> </tr> <tr> <td>3 PLACES</td> <td>±</td> <td></td> <td>±</td> <td colspan="2">CHK'D: TMCLELLAND</td> <td colspan="2">2018/03/21</td> </tr> <tr> <td>2 PLACES</td> <td>±</td> <td>0.13</td> <td>±</td> <td colspan="2">APPR: TMCLELLAND</td> <td colspan="2">2018/03/21</td> </tr> <tr> <td>1 PLACE</td> <td>±</td> <td>0.25</td> <td>±</td> <td colspan="4">INITIAL REVISION:</td> </tr> <tr> <td>0 PLACES</td> <td>±</td> <td></td> <td>±</td> <td colspan="2">DRWN: KLANG</td> <td colspan="2">2011/10/10</td> </tr> <tr> <td colspan="2">ANGULAR TOL</td> <td colspan="2">± 0.5 °</td> <td colspan="2">APPR: TMCLELL</td> <td colspan="2">2012/08/29</td> </tr> <tr> <td colspan="4">DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS</td> <td colspan="2">THIRD ANGLE PROJECTION</td> <td colspan="2">DRAWING</td> <td colspan="2">SERIES</td> </tr> <tr> <td colspan="4"></td> <td colspan="2"> </td> <td colspan="2">C-SIZE</td> <td colspan="2">76867</td> </tr> </table>						GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 173887		<table border="0"> <tr> <td colspan="2" rowspan="5"> </td> <td colspan="2" rowspan="5">IPASS PLUS HD 12G INTERNAL</td> </tr> <tr> <td colspan="2">PRODUCT CUSTOMER DRAWING</td> </tr> <tr> <td colspan="2">DOCUMENT NUMBER</td> <td>DOC TYPE</td> <td>DOC PART</td> <td>REVISION</td> </tr> <tr> <td colspan="2">SD-76867-1000</td> <td>PSD</td> <td>001</td> <td>B2</td> </tr> <tr> <td colspan="2">MATERIAL NUMBER</td> <td colspan="2">CUSTOMER</td> <td>SHEET NUMBER</td> </tr> <tr> <td colspan="2">SEE CHART</td> <td colspan="2">GENERAL MARKET</td> <td>6 OF 10</td> </tr> </table>				IPASS PLUS HD 12G INTERNAL		PRODUCT CUSTOMER DRAWING		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	SD-76867-1000		PSD	001	B2	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	SEE CHART		GENERAL MARKET		6 OF 10	4 PLACES	±		±	DRWN: ABABU01		2018/03/08		3 PLACES	±		±	CHK'D: TMCLELLAND		2018/03/21		2 PLACES	±	0.13	±	APPR: TMCLELLAND		2018/03/21		1 PLACE	±	0.25	±	INITIAL REVISION:				0 PLACES	±		±	DRWN: KLANG		2011/10/10		ANGULAR TOL		± 0.5 °		APPR: TMCLELL		2012/08/29		DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES								C-SIZE		76867	
GENERAL TOLERANCES (UNLESS SPECIFIED)		EC NO: 173887								<table border="0"> <tr> <td colspan="2" rowspan="5"> </td> <td colspan="2" rowspan="5">IPASS PLUS HD 12G INTERNAL</td> </tr> <tr> <td colspan="2">PRODUCT CUSTOMER DRAWING</td> </tr> <tr> <td colspan="2">DOCUMENT NUMBER</td> <td>DOC TYPE</td> <td>DOC PART</td> <td>REVISION</td> </tr> <tr> <td colspan="2">SD-76867-1000</td> <td>PSD</td> <td>001</td> <td>B2</td> </tr> <tr> <td colspan="2">MATERIAL NUMBER</td> <td colspan="2">CUSTOMER</td> <td>SHEET NUMBER</td> </tr> <tr> <td colspan="2">SEE CHART</td> <td colspan="2">GENERAL MARKET</td> <td>6 OF 10</td> </tr> </table>										IPASS PLUS HD 12G INTERNAL		PRODUCT CUSTOMER DRAWING		DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION	SD-76867-1000		PSD	001	B2	MATERIAL NUMBER		CUSTOMER		SHEET NUMBER	SEE CHART		GENERAL MARKET		6 OF 10																																																																		
		IPASS PLUS HD 12G INTERNAL																																																																																																											
																						PRODUCT CUSTOMER DRAWING																																																																																							
																						DOCUMENT NUMBER		DOC TYPE	DOC PART	REVISION																																																																																			
				SD-76867-1000		PSD	001	B2																																																																																																					
				MATERIAL NUMBER		CUSTOMER		SHEET NUMBER																																																																																																					
SEE CHART		GENERAL MARKET		6 OF 10																																																																																																									
4 PLACES	±		±	DRWN: ABABU01		2018/03/08																																																																																																							
3 PLACES	±		±	CHK'D: TMCLELLAND		2018/03/21																																																																																																							
2 PLACES	±	0.13	±	APPR: TMCLELLAND		2018/03/21																																																																																																							
1 PLACE	±	0.25	±	INITIAL REVISION:																																																																																																									
0 PLACES	±		±	DRWN: KLANG		2011/10/10																																																																																																							
ANGULAR TOL		± 0.5 °		APPR: TMCLELL		2012/08/29																																																																																																							
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				THIRD ANGLE PROJECTION		DRAWING		SERIES																																																																																																					
						C-SIZE		76867																																																																																																					

1 X 4 RECOMMENDED FOOTPRINT



- NOTES:
1. RECOMMENDED DRILL AND ANNULAR RING SIZE FOR A 0.37 ϕ FINISHED PTH - REFER TO APPLICATION SPECIFICATION AS-76867-001
 2. MINIMUM RECOMMENDED SPACING: 52.00mm
 3. MINIMUM PCB THICKNESS: 1.57mm
 4. CONNECTOR KEEP OUT AREA




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: MIGRATED TO NX					
mm		4:1		EC NO: 173887 DRWN: ABABU01 2018/03/08 CHK'D: TMCLELLAND 2018/03/21 APPR: TMCLELLAND 2018/03/21 INITIAL REVISION: DRWN: KLANG 2011/10/10 APPR: TMCLELL 2012/08/29					
GENERAL TOLERANCES (UNLESS SPECIFIED)									
		MM	INCH						
4 PLACES	±		±						
3 PLACES	±		±						
2 PLACES	±	0.13	±						
1 PLACE	±	0.25	±						
0 PLACES	±		±						
ANGULAR TOL		± 0.5 °		THIRD ANGLE PROJECTION					
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				DRAWING		SERIES		MATERIAL NUMBER	
				C-SIZE		76867		SEE CHART	
				CUSTOMER		SHEET NUMBER		DOCUMENT NUMBER	
				GENERAL MARKET		7 OF 10		SD-76867-1000	
								PSD 001 B2	

molex

IPASS PLUS HD 12G
INTERNAL

PRODUCT CUSTOMER DRAWING



RECOMMENDED TOOLING KEEP OUT AREAS



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION											
DIMENSION UNITS		SCALE		CURRENT REV DESC: MIGRATED TO NX				molex			
mm		3:1									
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 173887		IPASS PLUS HD 12G INTERNAL		PRODUCT CUSTOMER DRAWING			
		MM	INCH	DRWN: ABABU01						2018/03/08	
4 PLACES		±	±	CHK'D: TMCLELLAND						2018/03/21	
3 PLACES		±	±	APPR: TMCLELLAND		2018/03/21					
2 PLACES		±	0.13	INITIAL REVISION:							
1 PLACE		±	0.25	DRWN: KLANG		2011/10/10					
0 PLACES		±	±	APPR: TMCLELL		2012/08/29					
ANGULAR TOL		± 0.5 °		THIRD ANGLE PROJECTION		DRAWING		SERIES			
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS				C-SIZE		76867		MATERIAL NUMBER			
				SEE CHART		CUSTOMER		SHEET NUMBER			
				GENERAL MARKET		8 OF 10					

DOCUMENT STATUS	P1	RELEASE DATE	2018/03/21	13:32:11
-----------------	----	--------------	------------	----------


1 X 1 & 1 X 2 FOOTPRINT CIRCUIT IDENTIFICATION




THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: MIGRATED TO NX				molex	
mm		8:1							
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 173887		IPASS PLUS HD 12G INTERNAL			
4 PLACES		±	±	DRWN: ABABU01		2018/03/08			
3 PLACES		±	±	CHK'D: TMCLELLAND		2018/03/21			
2 PLACES		± 0.13	±	APPR: TMCLELLAND		2018/03/21		PRODUCT CUSTOMER DRAWING	
1 PLACE		± 0.25	±	INITIAL REVISION:				DOCUMENT NUMBER	
0 PLACES		±	±	DRWN: KLANG		2011/10/10		SD-76867-1000	
ANGULAR TOL		± 0.5 °		APPR: TMCLELL		2012/08/29		DOC TYPE DOC PART REVISION	
DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		THIRD ANGLE PROJECTION		DRAWING		SERIES		MATERIAL NUMBER CUSTOMER SHEET NUMBER	
				C-SIZE		76867		SEE CHART GENERAL MARKET 9 OF 10	

DOCUMENT STATUS	P1	RELEASE DATE	2018/03/21	13:32:11
-----------------	----	--------------	------------	----------

1 X 4 FOOTPRINT CIRCUIT IDENTIFICATION



THIS DRAWING CONTAINS INFORMATION THAT IS PROPRIETARY TO MOLEX ELECTRONIC TECHNOLOGIES, LLC AND SHOULD NOT BE USED WITHOUT WRITTEN PERMISSION									
DIMENSION UNITS		SCALE		CURRENT REV DESC: MIGRATED TO NX					
mm		8:1							
GENERAL TOLERANCES (UNLESS SPECIFIED)				EC NO: 173887		DRWN: ABABU01		2018/03/08	
				CHK'D: TMCLELLAND		2018/03/21			
				APPR: TMCLELLAND		2018/03/21			
				INITIAL REVISION:					
				DRWN: KLANG		2011/10/10			
				APPR: TMCLELL		2012/08/29			
				THIRD ANGLE PROJECTION		DRAWING		SERIES	
				DRAFT WHERE APPLICABLE MUST REMAIN WITHIN DIMENSIONS		C-SIZE		76867	
DOCUMENT STATUS				P1		RELEASE DATE		2018/03/21 13:32:11	
DOCUMENT NUMBER				DOC TYPE		DOC PART		REVISION	
SD-76867-1000				PSD		001		B2	
MATERIAL NUMBER				CUSTOMER		SHEET NUMBER			
SEE CHART				GENERAL MARKET		10 OF 10			