

**Data sheet | Item number: 270-319**

End and intermediate plate; 1 mm thick; for triple-deck terminal blocks; gray

[www.wago.com/270-319](http://www.wago.com/270-319)



Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



## Data

### Physical data

Width	1 mm / 0.039 inches
Height	68 mm / 2.677 inches
Depth	39 mm / 1.535 inches

### Material Data

Note (material data)	Information on material specifications can be found here
Color	gray
Material group	I
Insulation material	Polyamide (PA66)
Flammability class per UL94	V0
Fire load	0.072 MJ
Weight	2.4 g

### Commercial data

Product Group	1 (Rail Mounted Terminal Blocks)
eCl@ss 10.0	27-14-11-33
eCl@ss 9.0	27-14-11-33
ETIM 8.0	EC000886
ETIM 7.0	EC000886
PU (SPU)	100 (25) pcs
Packaging type	box
Country of origin	DE
GTIN	4017332696999
Customs tariff number	85389099990

### Environmental Product Compliance

RoHS Compliance Status	Compliant, No Exemption
------------------------	-------------------------

### Required accessories

#### End plate

Actuator terminal block
-------------------------

Subject to changes. Please also observe the further product documentation!



<b>Item no.: 270-572</b> 3-conductor actuator supply terminal block; with colored conductor entries; 2.5 mm <sup>2</sup> ; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/270-572">www.wago.com/270-572</a>
<b>Item no.: 270-572/281-434</b> 3-conductor actuator supply terminal block; LED (red); for PNP-(high-side) switching actuators; 2.5 mm <sup>2</sup> ; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/270-572/281-434">www.wago.com/270-572/281-434</a>
<b>Item no.: 270-585</b> 3-conductor actuator supply terminal block; with colored conductor entries; 2.5 mm <sup>2</sup> ; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/270-585">www.wago.com/270-585</a>
<b>Item no.: 270-585/281-507</b> 3-conductor actuator supply terminal block; LED (yellow); for NPN-(low-side) switching actuators; 2.5 mm <sup>2</sup> ; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/270-585/281-507">www.wago.com/270-585/281-507</a>
<b>Item no.: 270-586</b> 3-conductor sensor/actuator terminal block; with colored conductor entries; 2.5 mm <sup>2</sup> ; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/270-586">www.wago.com/270-586</a>
<b>Item no.: 270-577</b> 3-conductor sensor/actuator terminal block; with colored conductor entries; 2.5 mm <sup>2</sup> ; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/270-577">www.wago.com/270-577</a>
Sensor terminal block	
<b>Item no.: 270-560</b> 3-conductor sensor terminal block; with colored conductor entries; 2.5 mm <sup>2</sup> ; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/270-560">www.wago.com/270-560</a>
<b>Item no.: 270-560/281-507</b> 3-conductor sensor terminal block; LED (yellow); for NPN-(low-side) switching sensors; 2.5 mm <sup>2</sup> ; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/270-560/281-507">www.wago.com/270-560/281-507</a>
<b>Item no.: 270-564</b> 3-conductor sensor supply terminal block; Internal commoning, 9 A; with colored conductor entries; 2.5 mm <sup>2</sup> ; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/270-564">www.wago.com/270-564</a>
<b>Item no.: 270-560/281-434</b> 3-conductor sensor terminal block; LED (red); for PNP-(high-side) switching sensors; with colored conductor entries; 2.5 mm <sup>2</sup> ; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; gray	<a href="http://www.wago.com/270-560/281-434">www.wago.com/270-560/281-434</a>
<b>Item no.: 270-564/281-483</b> 3-conductor sensor supply terminal block; LED (green); 2.5 mm <sup>2</sup> ; CAGE CLAMP®; 2,50 mm <sup>2</sup> ; orange	<a href="http://www.wago.com/270-564/281-483">www.wago.com/270-564/281-483</a>

## Downloads Documentation

### Bid Text

270-319 X81 - Datei	2019 年2月19 日	xml 2.6 kB	Download
270-319	2017 年5月31 日	doc	Download

Subject to changes. Please also observe the further product documentation!

WAGO GmbH & Co. KG  
Hansastr. 27  
32423 Minden  
Phone: +49571 887-0 | Fax: +49571 887-169  
Email: [info.de@wago.com](mailto:info.de@wago.com) | Web: [www.wago.com](http://www.wago.com)

Do you have any questions about our products?  
We are always happy to take your call at +49 (571) 887-44222.



doc - Datei

24.1 kB

---

**Additional Information**

pdf  
2.2 MB      Download

---

**CAD/CAE-Data**

**CAD data**

2D/3D Models 270-319

URL      Download

---

**CAE data**

EPLAN Data Portal 270-319

URL      Download

---

WSCAD Universe 270-319

URL      Download

---

ZUKEN Portal 270-319

URL      Download

---

**Environmental Product Compliance**

**Compliance Search**

Environmental Product Compliance 270-319

URL      Download

End and intermediate plate; 1 mm thick; for triple-deck terminal blocks; gray

---

**Installation Notes**

Subject to changes. Please also observe the further product documentation!