




TE Internal #: 2227728-1
 SFP, SFP+ & zSFP+, Cage Assembly, Data Rate (Max) 32 Gb/s,
 Internal/External EMI Springs, With Lightpipe, 1 x 2, Through Hole -
 Press-Fit, 2 Port

[View on TE.com >](#)

Connectors > Pluggable IO Connectors & Cages > SFP, SFP+ & zSFP+ > zSFP+ Cage Assembly: EMI Springs



Pluggable I/O Product Type: **Cage Assembly**
 Data Rate (Max): **32 Gb/s**
 EMI Containment Feature Type: **Internal/External EMI Springs**
 Lightpipe Options: **With Lightpipe**
 Port Matrix Configuration: **1 x 2**

[All zSFP+ Cage Assembly: EMI Springs \(25\)](#)

Features

Product Type Features

| | |
|-----------------------------------|-----------------------|
| Form Factor | zSFP+ |
| Cage Type | Ganged |
| Pluggable I/O Product Type | Cage Assembly |
| Lightpipe Options | With Lightpipe |
| Connector System | Cable-to-Board |
| Sealable | No |
| Connector & Contact Terminates To | Printed Circuit Board |

Configuration Features

| | |
|---------------------------|-------|
| Port Matrix Configuration | 1 x 2 |
| Number of Ports | 2 |

Electrical Characteristics

| | |
|-----------------|---------|
| Data Rate (Max) | 32 Gb/s |
|-----------------|---------|

Termination Features



| | |
|---|--------------------------|
| Termination Post & Tail Length | 2.05 mm[.081 in] |
| Termination Method to Printed Circuit Board | Through Hole - Press-Fit |

Mechanical Attachment

| | |
|-------------------------|-------------|
| Connector Mounting Type | Board Mount |
|-------------------------|-------------|

Housing Features

| | |
|---------------|---------------------|
| Cage Material | Nickel Silver Alloy |
|---------------|---------------------|

Dimensions

| | |
|-----------------------------|------------------|
| PCB Thickness (Recommended) | 2.25 mm[.089 in] |
|-----------------------------|------------------|

Usage Conditions

| | |
|-----------------------------|----------------------------|
| Operating Temperature Range | -55 – 105 °C[-67 – 221 °F] |
|-----------------------------|----------------------------|

Operation/Application

| | |
|-------------------------------------|---------------------|
| Heat Sink Compatible | No |
| For Use With Pluggable I/O Products | zSFP+ SMT Connector |
| Circuit Application | Signal |

Packaging Features

| | |
|------------------|------|
| Packaging Method | Tray |
|------------------|------|

Other

| | |
|------------------------------|-------------------------------|
| EMI Containment Feature Type | Internal/External EMI Springs |
|------------------------------|-------------------------------|

Product Compliance

[For compliance documentation, visit the product page on TE.com>](#)

| | |
|---|--|
| EU RoHS Directive 2011/65/EU | Compliant |
| EU ELV Directive 2000/53/EC | Compliant |
| China RoHS 2 Directive MIIT Order No 32, 2016 | No Restricted Materials Above Threshold |
| EU REACH Regulation (EC) No. 1907/2006 | Current ECHA Candidate List: JUNE 2023 (235) Candidate List Declared Against: JAN 2023 (233) Does not contain REACH SVHC |
| Halogen Content | Low Halogen - Br, Cl, F, I < 900 ppm per homogenous material. Also BFR/CFR/PVC Free |
| Solder Process Capability | Not applicable for solder process capability |



Product Compliance Disclaimer

This information is provided based on reasonable inquiry of our suppliers and represents our current actual knowledge based on the information they provided. This information is subject to change. The part numbers that TE has identified as EU RoHS compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, mercury, PBB, PBDE, DBP, BBP, DEHP, DIBP, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2011/65/EU (RoHS2). Finished electrical and electronic equipment products will be CE marked as required by Directive 2011/65/EU. Components may not be CE marked. Additionally, the part numbers that TE has identified as EU ELV compliant have a maximum concentration of 0.1% by weight in homogenous materials for lead, hexavalent chromium, and mercury, and 0.01% for cadmium, or qualify for an exemption to these limits as defined in the Annexes of Directive 2000/53/EC (ELV). Regarding the REACH Regulation, the information TE provides on SVHC in articles for this part number is based on the latest European Chemicals Agency (ECHA) 'Guidance on requirements for substances in articles' posted at this URL: <https://echa.europa.eu/guidance-documents/guidance-on-reach>

Compatible Parts



TE Part # CAT-C11-N490333
QSFP28-Four SFP+ Cable Assembly:
30 AWG



TE Part # CAT-C11-N490325
QSFP28-Four SFP+ Cable Assembly:
26 AWG



TE Part # CAT-C11-N4901114
SFP28 to SFP28 Cable Assembly: 30
AWG



TE Part # CAT-C11-N49011
SFP28 to SFP28 Cable Assembly: 26
AWG



TE Part # CAT-Q17-N49011
QSFP56-Four SFP56 Cable Assembly:
30 AWG



TE Part # CAT-Q17-N490333
QSFP56-Four SFP56 Cable Assembly:
26 AWG



TE Part # 4-2821222-5
SFP56 DIRECT ATTACH CA, 2M,
30AWG



TE Part # 4-2821224-5
SFP56 DIRECT ATTACH CA, 3M,
26AWG



TE Part # 4-2334985-2
SFP56 DIRECT ATTACH CA, 1M,
32AWG



TE Part # 2334985-2
SFP28 DIRECT ATTACH CA, 1M,
32AWG



TE Part # CAT-C11-N490111
SFP28 to SFP28 Cable Assembly: 28
AWG





TE Part # 2185239-2
ASSY, SEATING TOOL, SFP+



TE Part # 2215061-2
ASSY, SEATING TL, zSFP+ 1 X 2

Customers Also Bought



Documents

Product Drawings

[zSFP+ 1x2 Cage Assy, Press-Fit](#)

English

CAD Files

[3D PDF](#)

3D

Customer View Model

[ENG_CVM_CVM_2227728-1_B.2d_dxf.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2227728-1_B.3d_igs.zip](#)

English

Customer View Model

[ENG_CVM_CVM_2227728-1_B.3d_stp.zip](#)

English

By downloading the CAD file I accept and agree to the [Terms and Conditions](#) of use.



Datasheets & Catalog Pages

[zSFP+ Interconnect Brochure](#)

English

Product Specifications

[Application Specification](#)

English

Product Environmental Compliance

[MD_2227728-1_091220171216_dmtec](#)

English

[MD_2227728-1_091220171216_dmtec](#)

English

Instruction Sheets

[Instruction Sheet \(U.S.\)](#)

English

[Instruction Sheet \(U.S.\)](#)

English