

STB 36.8/IH/RT WTL6/1**Weidmüller Interfaces GmbH & Co. KG**

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

www.weidmueller.com

Product image

The test socket is used to connect test devices with a standard 4.0 plug. Depending on the potential within the application, different colors of the test sockets can be selected for quick and easy maintenance work.

General ordering data

Version	Accessories, Socket
Order No.	1312540000
Type	STB 36.8/IH/RT WTL6/1
GTIN (EAN)	4050118180992
Qty.	50 pc(s).

STB 36.8/IH/RT WTL6/1

Weidmüller Interfaces GmbH & Co. KG

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

info@weidmueller.com

Technical data

www.weidmueller.com

1.567 inch

1.449 inch

0.236 inch

4,94 g

Temperatures

Continuous operating temp., min. -50 °C

Continuous operating temp., max. 100 °C

Environmental Product Compliance

REACH SVHC

Lead 7439-92-1

SCIP

dce63e23-
eea1-4eaa-9071-1c98fc8fa2ea

Material data

Material Polyamide 66

Colour red

UL 94 flammability rating

V-2

System specifications

Version

For the terminals

Additional technical data

Installation advice

Direct mounting

Type of mounting

when screwed in

Dimensions

Diameter 6 mm

Plug-in depth 11,1 mm

General

Installation advice

Direct mounting

Operating temperature range, max.

100 °C

Classifications

ETIM 6.0 EC002848 ETIM 7.0 EC002848

ETIM 8.0 EC002848 ECLASS 9.0 27-14-11-92

ECLASS 9.1 27-14-11-92 ECLASS 10.0 27-14-11-92

ECLASS 11.0 27-14-11-92 ECLASS 12.0 27-14-11-92

Approvals

Approvals



ROHS

Conform

STB 36.8/IH/RT WTL6/1

Weidmüller Interfaces GmbH & Co. KG

Postfach 3030

32760 Detmold

Tel. +49 5231 14-0

Fax. +49 5231 14-2083

Technical data

info@weidmueller.com

www.weidmueller.com

Downloads

Approval/Certificate/Document of
Conformity

[EAC certificate](#)

Engineering Data

[CAD data – STEP](#)

Engineering Data

[EPLAN](#)

User Documentation

[StorageConditionsTerminalBlocks](#)

Catalogues

[Catalogues in PDF-format](#)