








Amphenol FCI

© 2016 AFCl



PC board drilling dimensions(after plating)
(thickness ≤ 3.20 ± 0.30mm)



LEAD FREE PART NUMBER

SHELL	A±0.38	B±0.12	C±0.10	D±0.25	E±0.07	PART NUMBER
09	30.81	24.99	16.96	16.79	10.96	D09P90C*PV00LF
15	39.14	33.32	25.18	25.12	19.18	D15P90C*PV00LF
25	53.03	47.04	39.12	38.84	33.12	D25P90C*PV00LF
37	69.32	63.50	55.68	55.30	49.68	D37P90C*PV00LF

Plating: 4 --> 200 Mating
Plating: 6 --> 500 Mating
Plating: 8 --> 1.25μ Au

GENERAL CHARACTERISTICS AND ROHS INFORMATIONS:
SEE DRAWING C01-8646-0001

mat'l. code		surface ISO 1302		tolerance ISO 406 ISO 1101		projection		product family D-Sub	
ltr		ecn no		dr		date		title	
B		-		MAS		2000-07-27		MALE CONNECTOR DELTA D LOW PROFILE	
C		LS05-004		MPE		2005-02-07		Straight Press-fit	
D		LS06-0095		LGO		2006-06-19		dwg no	
E		LS06-0140		LGO		2006-09-22		sheet 1 of 1	
F		I09-0268		NG		2009-11-24		size	
G		ELX-I-32090		AR		2018-12-07		A3	
sheet index		revision sheet		G		1		type Product Customer Drawing	